

# Complete user's manual

CL83143

DECT 6.0 cordless telephone/ answering system with caller ID/call waiting



# **Congratulations**

on your purchase of this AT&T product. Before using this AT&T product, please read the **Important safety information** section on pages 116-118 of this manual. Please thoroughly read this user's manual for all the feature operations and troubleshooting information necessary to install and operate your new AT&T product. You can also visit our website at

www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.

This telephone meets the California Energy Commission regulations for energy consumption. Your telephone is set up to comply with the energy-conserving standards right out of the box. No further action is necessary.

This telephone system is compatible with certain AT&T DECT 6.0 cordless headsets. Visit **www.telephones.att.com/headsets** for a list of compatible cordless headsets.

Model number: CL83143

Type: DECT 6.0 cordless telephone/answering system with

caller ID/call waiting

Serial number: .	
Purchase date:	
Dlaco of purchaso	

Both the model and serial numbers of your AT&T product can be found on the bottom of the telephone base.

Save your sales receipt and original packaging in case it is necessary to return your telephone for warranty service.



Telephones identified with this logo have reduced noise and interference when used with most T-coil equipped hearing aids and cochlear implants. The TIA-1083 Compliant Logo is a trademark of the Telecommunications Industry Association. Used under license.



The ENERGY STAR® program (www.energystar.gov) recognizes and encourages the use of products that save energy and help protect our environment. We are proud to mark this product with the ENERGY STAR® label indicating it meets the latest energy efficiency guidelines.

© 2014 Advanced American Telephones. All Rights Reserved. AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to Advanced American Telephones, San Antonio, TX 78219. Printed in China.

# Parts checklist

Your telephone package contains the following items. Save your sales receipt and original packaging in the event warranty service is necessary.



Abridged User's manual



Quick start guide



Cordless handset



Telephone base



Battery for cordless handset



Battery compartment cover



Telephone line cord



Power adapter for telephone base

# Complete user's manual

CL83143

DECT 6.0 cordless telephone/ answering system with caller ID/call waiting



# Table of contents

<b>Getting Started</b>	Key tone
Installation1	Use caller ID to
Quick reference guide - handset 2	set date and
Quick reference guide -	Home area cod
telephone base5	Dial mode
Telephone base installation8	Web address
Battery installation and charging9	QUIET mode
Installation options11	Telephone base s
Tabletop to wall-mount	Ringer volume
installation11	Ringer tone
Wall-mount to tabletop	Set date/time.
installation12	LCD language
	Voice language
Telephone settings	Caller ID annou
Handset settings13	Set speed dial
Ringer volume14	number
Ringer tone14	Voicemail (visu
Set date/time15	waiting) indic
LCD language16	Clear voicemai
Voice language16	Rename base
Caller ID announce17	Key tone
Set speed dial voicemail	Use caller ID to
number18	set date and
Voicemail (visual message	Home area cod
waiting) indicator18	Dial mode
Clear voicemail indication 19	Web address
Rename handset20	

Key tone	20
Use caller ID to automatically	
set date and time	21
Home area code	21
Dial mode	22
Web address	22
QUIET mode	23
elephone base settings	24
Ringer volume	25
Ringer tone	
Set date/time	
LCD language	27
Voice language	
Caller ID announce	28
Set speed dial voicemail	
number	29
Voicemail (visual message	
waiting) indicator	29
Clear voicemail indication	30
Rename base	31
Key tone	31
Use caller ID to automatically	
set date and time	32
Home area code	32
Dial mode	33
Web address	

retepriorie operation	Directory
Telephone operation34	About the directory58
Making a call34	Shared directory58
On hook dialing (predialing) 34	Capacity58
Answering a call34	Create directory entries59
Ending a call35	Create a new directory entry 59
Auto off35	Add a predialed telephone
Temporary ringer silencing 35	number to the directory60
Handset speakerphone36	Review the directory61
Last number redial36	Review directory entries61
Equalizer38	Search by name62
Options while on calls39	Dial, delete or edit
Volume control39	directory entries63
Call waiting39	Display dial63
Mute 40	Delete a directory entry63
Chain dialing41	Edit a directory entry64
Temporary tone dialing43	Speed dial65
Blind transfer43	Assign a speed dial number 65
	Assign your voicemail speed
Multiple handset use	dial number66
Multiple handset use45	Reassign a speed dial number 66
Handset locator45	Delete a speed dial number 67
Join a call in progress45	Make a call using speed dial 67
Intercom 46	Check your voicemail using
Answer an incoming call during	speed dial67
an intercom call48	
Call transfer using intercom49	Caller ID
Push-to-talk (PTT)50	About caller ID68
Turn PTT on or off50	Information about caller ID
PTT call to a single device51	with call waiting68
PTT call to multiple devices 53	Caller ID history69
Answer a PTT call55	How the caller ID history
Change a one-to-one PTT call to	(caller ID log) works69
an intercom call56	Missed (new) call indicator 69
Answer an incoming call during	Caller ID operation70
a PTT call56	Memory match70
Make an outgoing call during	Review the caller ID history
PTT call57	View dialing options72
End or leave a PTT call57	Dial a caller ID log entry

Delete caller ID log entries (2	Register a handset to the
Save a caller ID log entry to	telephone base97
the directory73	Deregistering handsets99
Reasons for missing caller ID	Deregister all handsets from the
information74	telephone base99
	Alert tones and lights100
Answering system	Handset screen icons100
Answering system settings75	Telephone base screen icons100
Announcement75	Handset alert tones101
Answer on/off78	Telephone base alert tones101
Call screening79	Lights102
Number of rings80	Screen display messages103
Remote access code81	Screen messages103
Message alert tone82	Troubleshooting106
Message recording time83	Maintenance115
About the answering system84	Important safety information116
Answering system and	Safety information116
voicemail indicators84	Especially about cordless
Using the answering machine	telephones117
and voicemail together85	Precautions for users of
Message capacity85	implanted cardiac
Voice prompts86	pacemakers118
Call screening86	ECO mode118
Call intercept87	Especially about telephone
Base ringer 87	answering systems118
Temporarily turning off the	FCC Part 68 and ACTA119
message alert tone87	FCC Part 15120
Message playback88	California Energy Commission
Options during playback89	battery charging testing
Delete all old messages91	instructions121
Recording and playing memos 92	Limited warranty122
Record a memo92	Technical specifications124
Play back a memo93	DECT 6.0 digital technology124
Base message counter displays 94	Telephone operating range124
Message counter displays94	Redefining long range coverage
Remote access95	and clarity124
	HD audio124
Appendix	la desc
Adding and registering handsets/	Index
headsets97	Index125

You must install and charge the battery before using the telephone.



See pages 9-10 for easy instructions.

Install the telephone base close to a telephone jack and a power outlet not controlled by a wall switch. The telephone base can be placed on a flat surface or vertically mounted on the wall (see page 11). For optimum range and better reception, place the telephone base in a central and open location.

If you subscribe to high-speed Internet service (DSL - digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (see page 8). The filter prevents noise and caller ID problems caused by DSL interference. Please contact your DSL service provider for more information about DSL filters.

Your product may be shipped with protective stickers covering the handset and telephone base displays - remove them before use.

For customer service or product information, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

## Avoid placing the telephone base too close to:

- Communication devices such as television sets, VCRs, or other cordless telephones.
- · Excessive heat sources.
- Noise sources such as a window with traffic outside, motors, microwave ovens, refrigerators, or fluorescent lighting.
- Excessive dust sources such as a workshop or garage.
- · Excessive moisture.
- · Extremely low temperature.
- Mechanical vibration or shock such as on top of a washing machine or workbench.

### Getting started

# Quick reference quide - handset

### **CHARGE indicator**

On when the handset is charging in the telephone base or charger.

### **▼CID/VOLUME**

- Press ▼CID to show the caller ID log when the handset is not in use (page 71).
- · Press to scroll down while in menus.
- While entering names or numbers, press to move the cursor to the left.
- Press to decrease the listening volume when on a call (page 39), or to decrease the message playback volume (page 90).

### REDIAL/PAUSE

- Press repeatedly to view the last 10 numbers dialed (page 36).
- While entering numbers, <u>press and hold</u> to insert a dialing pause (page 59).

### **\PHONE/FLASH**

- Press to make or answer a call (page 34).
- During a call, press to answer an incoming call when you receive a call waiting alert (page 39).
- During message playback, press to call back the caller if the caller's number is available (page 90).

### **1**

- While reviewing a caller ID log entry, press repeatedly to add or remove 1 in front of the telephone number before dialing or saving it in the directory (page 72).
- Press and hold to set (page 18) or dial your voicemail number (page 67).

## TONE X / a>A

- Press to switch to touch-tone dialing temporarily during a call if you have pulse service (page 43).
- While entering names, press to change the next letter to upper or lower case.

## **●**/SPEAKER

- Press to make or answer a call using the speakerphone (page 34).
- Press to switch between the speakerphone and the handset (page 36).



# Quick reference guide - handset



### **▲**DIR/VOLUME

- Press ADIR to show directory entries (page 61) when the handset is not in use.
- Press to scroll up while in menus.
- While entering names or numbers, press to move the cursor to the right.
- Press to increase the listening volume when on a call (page 39), or to increase the message playback volume (page 90).

### **MENU/SELECT**

- Press to show the menu when the handset is not in use.
- While in the menu, press to select an item or save an entry or setting.

### *<b>Ø* OFF/CANCEL

- During a call, press to hang up (page 35).
- While in a menu, press to cancel an operation, back up to the previous menu, or exit the menu display; or <u>press and</u> <u>hold</u> this key to exit to idle mode.
- When the handset is ringing, press to mute the ringer temporarily (page 35).
- <u>Press and hold</u> while the telephone is not in use to erase the missed call indicator.

## QUIET # (pound key)

- Press repeatedly to display other dialing options when reviewing a caller ID log entry (page 72).
- <u>Press and hold</u> to enter the QUIET mode setting screen, or to deactivate QUIET mode (page 23).

### **MUTE/DELETE**

- · During a call, press to mute the microphone.
- When the handset is ringing, press to mute the ringer temporarily (page 35).
- While reviewing the caller ID history, the directory or the redial memory, press to delete an individual entry.
- While predialing (page 34), press to delete digits.

## EQ 🔃

During an outside call, intercom call, message or announcement playback, press to change the audio quality to best suit your hearing (page 38).

# Quick reference quide - handset

# Handset side view



### PUSH TO TALK

- Press to initiate a one-to-one (page 51) or one-to-group broadcast (page 53).
- Press and hold to broadcast to a group of system devices (page 53).

### Main menu



### **→**Main menu

- Play messages (page 89)
- Answering sys (page 75)
- Directory (page 59)
- Caller ID log (page 71)
- Intercom (page 46)
- Ringers (page 14)
- Set date/time (page 15)
- Settings (page 16)
- Web address (page 22)

The > symbol highlights a menu item.



# **Using menus:**

- Press MENU/SELECT to show the menu.
- Press ▼CID or ▲DIR to scroll through menu items.
- Press MENU/SELECT to confirm or save changes to a highlighted menu item.
- Press **foff/CANCEL** to cancel an operation, back up to the previous menu, or exit the menu display.

# Quick reference guide - telephone base

### **CANCEL**

- While in a menu, press to cancel an operation, back up to the previous menu or exit the menu display.
- Press and hold to go back to idle mode.
- When the telephone base is ringing, press to mute the ringer temporarily.

### **▼**CID

- Press to display the caller ID history when the phone is not in use.
- Press to scroll down while in menus and lists.
- While entering names or numbers, press to move the cursor to the left.

### MENU/SELECT

- When the telephone base is not in use, press to show the menu.
- While in the menu, press to confirm or save an entry or setting.

### **▲** DIR

- Press to display the directory when the phone is not in use (page 61).
- · Press to scroll up while in menus and lists.
- While entering names or numbers, press to move the cursor to the right.

### **FLASH**

During a call, press to answer an incoming call when you receive a call waiting alert.

## **IN USE light**

- On when the telephone is in use, or when the answering system is answering an incoming call.
- · On when a handset is being registered.
- Flashes when there is an incoming call or when all handsets are being deregistered.
- Flashes when another telephone is in use on the same line.

## **M** 1

<u>Press and hold</u> to set (page 29) or to dial your voicemail number (page 67).

## **€**/HANDSET LOCATOR

While the phone is idle, press to page all handsets (page 45).

### **REDIAL/PAUSE**

- Press repeatedly to view the last 10 numbers dialed (page 37).
- While entering numbers, <u>press and hold</u> to insert a dialing pause.

## ▼/VOLUME/▲

- During message playback or call screening, press to adjust the listening volume (page 89 or page 86).
- While in idle mode, press to adjust the base ringer volume.
- When on a call, press to adjust the listening volume.



 Press to initiate a one-to-one (page 52) or one-to-group broadcast (page 54).

 Press and hold to broadcast to a group of system devices (page 54). Microphone

# Quick reference guide - telephone base



### /RECORD

Press to record a memo (page 93) or an announcement (page 76).

#### 44/RFPFAT

- During playback, press to repeat the playing message (page 89).
- During playback, press twice to play the previous message (page 89).

### →/SKIP

Press to skip a message (page 89).

### ▶/■/PLAY/STOP

Press to start or stop message playback (page 89).

### X/DELETE

- While reviewing the caller ID history, the directory or the redial memory, press to delete an individual entry.
- · While predialing, press to delete digits.
- During message or announcement playback, press to delete the playing message or announcement.
- Press twice to delete all old messages when the phone is not in use.

### **り/ANS ON/OFF**

Press to turn the built-in answering system on or off (page 78).

#### **MUTE**

- During a call, press to mute the microphone (page 40).
- When the phone is ringing, press to mute the ringer temporarily.

### **●**)/SPEAKER

Press to make or answer a call using the speakerphone.

# Quick reference guide - telephone base

### Main menu



The > symbol highlights a menu item.



### Main menu

- Play messages (page 88)
- Answering sys (page 75)
- Directory (page 59)
- Caller ID log (page 71)
- Intercom (page 47)
- Ringers (page 25)
- Set date/time (page 26)
- Settings (page 27)
- Web address (page 33)

## **Using menus:**


- Press MENU/SELECT to show the menu.
- Press ▼ciD or ▲DIR to scroll through menu items.
- Press MENU/SELECT to confirm or save changes to a highlighted menu item.
- Press CANCEL to cancel an operation, back up to the previous menu, or exit the menu display.

# Telephone base installation

Install the telephone base, as shown below.

The telephone base is ready for tabletop use. If you want to change to wall-mounting, see **Installation options** on page 11 for details.

## Telephone base installation



### IMPORTANT INFORMATION

- Use only the power adapter(s) supplied with this product. To order a replacement power adapter, visit our website at www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.
- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.

# Battery installation and charging

Install the battery, as shown below. Once you have installed the battery, the screen indicates the battery status (see the following table). If necessary, place the handset in the telephone base or charger to charge the battery. For best performance, keep the handset in the telephone base or charger when not in use. The battery is fully charged after ten hours of continuous charging. See the table on page 124 for battery operating times.

If the screen shows **Place in charger** and  $\Omega$  flashes, you need to charge the handset without interruption for at least 30 minutes to give the handset enough charge to use the telephone for a short time. The following table summarizes the battery charge indicators and actions to take.

Battery indicators	Battery status	Action
The screen is blank, or shows <b>Place in charger</b> and $\widehat{\square}$ (flashing).	Battery has no or very little charge. The handset cannot be used.	Charge without interruption (at least 30 minutes).
The screen shows Low battery and [] (flashing).	Battery has enough charge to be used for a short time.	Charge without interruption (at least 30 minutes).
The screen shows HANDSET X.	Battery is charged.	To keep the battery charged, place it in the telephone base or charger when not in use.



**NOTE:** If you are on a phone call in low battery mode, you hear four short beeps every minute.

 Plug the battery connector securely into the socket inside the handset battery compartment. Insert the supplied battery with the label THIS SIDE UP facing up, as indicated.



# Battery installation and charging

2. Align the cover flat against the battery compartment, then slide it upwards until it clicks into place.





3. Charge the handset by placing it face forward in the telephone base or charger. The **CHARGE** light on the handset is on during charging.

After you install your telephone or power returns following a power outage, the handset and telephone base will prompt you to set the date and time. For instructions, see **Set date/time** on page 15 or page 26. To skip setting the date and time, press **foff/CANCEL** on the handset or **CANCEL** on the telephone base.





### IMPORTANT INFORMATION

Use only the supplied rechargeable battery or replacement battery (model BT183342).
 To order, visit our website at www.telephones.att.com or call

1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.


• If you do not use the handset for a long time, disconnect and remove the battery to prevent possible leakage.

# Installation options

Your telephone base is ready for tabletop use. If you want to mount your telephone on a wall, follow the steps to connect the telephone base with a standard dual-stud telephone wall-mounting plate. You may need a professional to install the mounting plate.

### Tabletop to wall-mount installation


- 1. Unplug the power adapter from the power outlet. Unplug the telephone line cord from the wall jack (or DSL filter).
- 2. Press down on the tabs on the wall-mount bracket on the telephone base to release it from tabletop orientation.
- 3. Swivel the wall-mount bracket down to wall-mount position and push it into the telephone base until it clicks into place.
- 4. Plug the telephone line cord (or DSL filter) into the wall jack. Plug the power adapter into a power outlet not controlled by a wall switch. Align the holes on the back of the telephone base with the wall mounting plate.
- 5. Slide the telephone base down until it locks securely. Bundle the telephone line cord and power adapter cord neatly with twist ties.



# Installation options

## Wall-mount to tabletop installation

- 1. If the telephone line cord and power adapter cord are bundled, untie them first. Push the telephone base up to remove it from the wall. Unplug the telephone line cord (or DSL filter) from the wall. Unplug the power adapter from the power outlet.
- 2. Swivel the wall-mount bracket up to tabletop position and push it into the telephone base until it clicks into place.
- 3. Plug the telephone line cord (or DSL filter) into the wall jack. Plug the power adapter into a power outlet not controlled by a wall switch. Bundle the telephone line cord and power adapter cord neatly with twist ties.



Use the menu to change the telephone settings.

- Press MENU/SELECT on the handset when it is not in use to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to the feature to be changed. When scrolling through the menu, the > symbol indicates the selected menu item.
- >Play messages
  Answering sys

3. Press MENU/SELECT to select the highlighted item.

NOTE: Press FOFF/CANCEL to cancel an operation, back up to the previous menu or exit the menu display. Press and hold FOFF/CANCEL to return to idle mode.

## Ringer volume

You can set the ringer volume level to one of six levels or turn the ringer off. When the ringer is off,  $\mathfrak{A}$  appears on the screen

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Ringers, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Ringer volume.
- 4. Press **▼CID** or **△DIR** to sample each volume level.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.







# NOTES

- The handset ringer volume also determines the ringer volume for intercom calls.
- If the ringer volume is set to off, that handset is silenced for all incoming calls.
- If the ringer volume is set to off, the caller ID will not be announced and the screen will briefly display Caller ID won't be announced.

## **Ringer tone**

You can choose one of ten ringer tones.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Ringers, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ringer tone, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to sample each ringer tone.
- Press MENU/SELECT to save your preference. There is a confirmation tone and the screen returns to the previous menu.







**NOTE:** If you turn off the ringer volume, you will not hear ringer tone samples.

## Set date/time

The answering system announces the day and time of each message prior to playing it. Before using the answering system, set the date and time as follows. If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. The year must be set so that the day of the week can be calculated from the caller ID information. You can turn off the date and time settings of the caller ID service and set the date and time manually (see **Use caller ID to automatically set date and time** on page 21).

After a power failure or handset registration, the system prompts you to set the date and time.

## To set the date and time manually:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Set date/time and then press MENU/SELECT.
- Press ▼CID or ▲DIR to select the month, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the day, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼ciD or ▲DIR to select the year, or enter the number using the dialing keys, then press MENU/SELECT to move on to set the time.
- Press ▼CID or ▲DIR to select the hour, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the minute, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼ciD or ▲DIR to highlight AM or PM, or press 2 for AM or
   for PM. Press MENU/SELECT to confirm. There is a confirmation tone and the screen returns to the previous menu.










## LCD language

You can select the language used for all screen displays.

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Settings**, then press MENU/SELECT.
- 3. Press MENU/SELECT to choose LCD language.
- 4. Press **▼CID** or **△DIR** to highlight **English**, **Français** or Español, then press MENU/SELECT. The screen prompts Set English/Français/Español as LCD language?
- confirmation tone and the screen returns to the previous menu.





NOTE: If you accidentally change the LCD language to French or Spanish, you can reset it back to English without going through the French or Spanish menus. Press MENU/SELECT on the handset in idle mode, then enter 364#. There is a confirmation tone.

## Voice language

You can select the voice language (English or French) to be used for the voice prompts in your answering system or caller ID announce.

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Settings**, then press MENU/SELECT.
- 3. Use **▼CID** or **△DIR** to scroll to **Voice language**, then press MENU/SELECT.
- 4. Press MENU/SELECT to choose Answering sys, then press MENU/SELECT.



Use **▼CID** or **△DIR** to scroll to **Caller ID** annc, then press MENU/SELECT.

5. Press **▼CID** or **△DIR** to choose **English** or **Français**, then press MENU/SELECT to confirm your selection. You hear a confirmation tone.










### Caller ID announce

The caller ID announce feature lets you know who's calling without having to look at the display. When you have an incoming call, the handset and/or base speaks "Call from..." and the name of the caller based on the directory or caller ID information. If the caller's name is private or unknown, the phone number up to the last 11 digits will be announced. If the caller's phone number is also private or unknown, no information will be announced. The default setting is **On**.







### To turn on or off the caller ID announce feature:

- 1. Press **MENU/select** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **▲DIR** to scroll to **Caller ID** annc, then press MENU/SELECT.
- Use ▼CID or ▲DIR to highlight the desired option, then press MENU/SELECT.
  - Set all On/Off Change the setting for the base and all handsets.
  - Local handset Change the setting for that handset only.
  - Base Change the setting for the telephone base only.
- 5. Use ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT. There is a confirmation tone and the screen returns to the previous menu. If you change the setting to Set all On/Off, the screen shows CID Annc ON/OFF on all HS & BS.



- To use the caller ID announce feature, you must subscribe to caller ID service from your telephone service provider.
- When there are up to five handsets registered, the telephone system supports caller ID announce for all handsets. If six or more handsets are registered, the system supports caller ID announce for the first four registered handsets only.
- · This feature does not announce information for call waiting calls.
- It takes at least 2 rings for the phone to receive caller ID information and announce it. If the
  phone is answered before the end of the second ring, the phone won't have time to announce
  the caller's information.
- Pronunciation of names may vary with this feature. Not all names may be pronounced correctly.
- · Caller ID announce is available in English and French.

## Set speed dial voicemail number

This feature lets you save your voicemail number for easy access when you press and hold the  $\mathbf{M} \mathbf{1}$  key.

## To save your voicemail number:

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Voicemail** #, then press **MENU/SELECT**.
- Use the dialing keys to enter the voicemail access number provided by your telephone service provider (up to 30 digits) when prompted.
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset to erase a digit.
  - Press and hold MUTE/DELETE on the handset to erase all digits.
  - Press REDIAL/PAUSE to enter a three-second dialing pause (a p appears).
- 5. Press MENU/SELECT to save. There is a confirmation tone. The screen displays Voicemail # saved, then returns to the previous menu.

## Voicemail (visual message waiting) indicator

If you subscribe to a voicemail service offered by your telephone service provider, this feature provides a visual indication when you have new voicemail messages.

**New voicemail** and the **⋈** icon appear on the handset screen.





#### NOTES:

- · This feature does not indicate new messages recorded on your phone's built-in answering system.
- For more information about the difference between your answering system and voicemail, see page 84.







### Clear voicemail indication

Use this feature when the telephone indicates there is new voicemail but there is none. For example, when you have accessed your voicemail while away from home. This feature only turns off the displayed **New voicemail** and the **⋈** icon; it does not delete your voicemail messages. As long as you have new voicemail messages, your telephone service provider continues to send the signal to turn on the indicators.

## To manually turn off the new voicemail indicators:

- Press MENU/SELECT when in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Clr voicemail, then press MENU/SELECT. The screen shows Reset Voicemail Indicator?
- 4. Press **MENU/SELECT** again to turn the voicemail indication off. There is a confirmation tone and the screen returns to the previous menu.







- Your telephone service provider may alert you to new messages with a stutter (broken) dial tone.
   Contact your telephone service provider for more details.
- For information about using your voicemail service, contact your telephone service provider.

### Rename handset

You can edit the handset name for each system handset.

- 1. When the handset is idle, press MENU/SELECT.
- Use ▼ciD or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **△DIR** to scroll to **Rename handset**, then press **MENU/SELECT**.
- 4. Change the handset name when prompted.
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Use the dialing keys to enter a name (up to 11 characters). Each time you press a key, a character on that key appears. Additional key presses produce other characters on that key. See the chart on page 60.
  - Press MUTE/DELETE to backspace and delete a character.
  - Press and hold MUTE/DELETE to delete all characters.
- 5. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone.

## **Key tone**

The handset is set to beep with each key press. You can adjust the key tone volume or turn it off. If you turn off the key tone, there are no beeps when you press keys.

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Key tone**, then press **MENU/SELECT**.
- 4. Use **▼CID** or **△DIR** to select the desired volume or **Off**.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.









## Use caller ID to automatically set date and time

If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. Follow the steps to turn the **CID time sync** feature on or off. The default setting is **On**.

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Press ▼cID or ▲DIR to scroll to CID time sync, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save. There is a confirmation tone and the screen returns to the previous menu.





### Home area code

If you dial seven digits to make a local call (no area code required), enter your area code into the telephone as the home area code. When you receive a call from within your home area code, the caller ID history only displays the seven digits of the telephone number.

This feature makes it easy for you to place a call from the caller ID log. If you dial ten digits to make a local phone call, do not use this home area code feature. If you do, you cannot place local calls from your caller ID log, as they will have only seven digits.

### To set the home area code:

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use ▼CID or ▲DIR to scroll to Home area code, then press MENU/SELECT. The screen briefly shows Only for 7digit dial from CID.
- 4. Use the dialing keys to enter a three-digit home area code.
  - Press mute/DELETE to delete a digit.
  - Press and hold MUTE/DELETE to delete all digits.
- 5. Press MENU/SELECT to save. There is a confirmation tone and the screen shows Area code will not show in CID briefly before returning to the previous menu.







**NOTE:** If in the future, your telephone service provider requires you to dial ten digits to make a local call (area code plus telephone number), you need to delete your home area code and dial out locally from the call ID log. With the home area code displayed, press and hold MUTE/DELETE until the digits are deleted, and then press MENU/SELECT. The home area code is now restored to its default setting of \_ \_ \_ (empty).

### Dial mode

The dial mode is preset to tone dialing. If you have pulse (rotary) service, you must change the dial mode to pulse dialing before using the telephone.

### To set the dial mode:

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **△DIR** to scroll to **Dial mode**, then press **MENU/SELECT**.
- 4. Use ▼CID or ▲DIR to highlight Touch-tone or Pulse, then press MENU/SELECT. The screen shows DIAL MODE is touch-tone or DIAL MODE is pulse. There is a confirmation tone and the screen returns to the previous menu.





### Web address

Use this feature to view the AT&T website address

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Web address**, then press **MENU/SELECT**.



ww.telerhones. att.com ()

### **QUIET mode**

When **QUIET** mode is turned on, the telephone silences all sounds during the set period of time (1-12 hours). However, the handset locator paging tone and any sound-generating operations initiated by users, such as making calls using the speakerphone or setting ringer volume, will sound as normal. After you turn on **QUIET** mode, this feature activates immediately and the answering system turns on automatically.

When **QUIET** mode is on, the answering system takes calls and records messages without broadcasting them.

### To turn OUIET mode on:

- 1. <u>Press and hold</u> **QUIET #** in idle mode to enter the **QUIET** mode setting screen. The screen shows **Quiet:** hours (1-12 hours).
- 2. Use the dialing keys to enter the desired number of hours (1-12) you would like to turn on **QUIET** mode, then press **MENU/SELECT**. Your screen briefly shows **Answering sys is ON** and then **Quiet mode on**.

### To turn QUIET mode off:

While QUIET mode is on, <u>press and hold</u> QUIET #. The screen then shows
 Quiet mode is off and you hear a confirmation tone.



- If you change the base ringer, handset ringer, ringer volume, key tone, or caller ID announce
  features when QUIET mode is on, the sample plays but the feature is still muted after saving the
  setting.
- After QUIET mode is turned off or the set period of time has expired, all muted features will be activated again.
- The PTT function is not available when QUIET mode is on.

Use the menu to change the telephone settings.

- 1. Press **MENU/SELECT** on the telephone base when it is not in use to enter the main menu.
- Press ▼CID or ▲DIR to scroll to the feature to be changed. When scrolling through the menu, the > symbol indicates the selected menu item.
- XPlay messages Answering sys ♦

3. Press MENU/SELECT to select the highlighted item.



**NOTE:** Press **CANCEL** to cancel an operation, back up to the previous menu or exit the menu display. Press and hold **CANCEL** to return to idle mode.

## Ringer volume

You can set the ringer volume level to one of six levels or turn the ringer off. When the ringer is off,  $\mathfrak{A}$  appears on the screen.

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Ringers, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Ringer volume.
- 4. Press **▼CID** or **△DIR** to sample each volume level.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.







## NOTES:

- The telephone base ringer volume also determines the ringer volume for intercom calls.
- If the ringer volume is set to off, the telephone base is silenced for all incoming calls.
- If the ringer volume is set to off, the caller ID will not be announced and the screen will briefly display Caller ID won't be announced.

## Ringer tone

You can choose one of ten ringer tones.

- Press MENU/select in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Ringers, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Ringer tone, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to sample each ringer tone.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.

RINGER TONE >Tane 1

Ringer volume

Winder time

**NOTE:** If you turn off the ringer volume, you will not hear ringer tone samples.

## Set date/time

The answering system announces the day and time of each message prior to playing it. Before using the answering system, set the date and time as follows. If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. The year must be set so that the day of the week can be calculated from the caller ID information. You can turn off the date and time settings of the caller ID service and set the date and time manually (see **Use caller ID to automatically set date and time** on page 32).

After a power failure, the system prompts you to set the date and time.

## To set the date and time manually:

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu
- 2. Press ▼CID or ▲DIR to scroll to Set date/time and then press MENU/SELECT.
- Press ▼ciD or ▲DIR to select the month, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼ciD or ▲DIR to select the day, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the year, or enter the number using the dialing keys, then press MENU/SELECT to move on to set the time.
- Press ▼ciD or ▲DIR to select the hour, then press MENU/SELECT, or enter the number using the dialing keys.
- 7. Press ▼CID or ▲DIR to select the minute, then press MENU/SELECT, or enter the number using the dialing keys.
- 8. Press ▼ciD or ▲DIR to highlight AM or PM, or press 2 for AM or 7 for PM. Press MENU/SELECT to confirm. There is a confirmation tone and the screen returns to the previous menu.









## LCD language

You can select the language used for all screen displays.

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Press MENU/SELECT to choose LCD language.
- 4. Press ▼CID or ▲DIR to highlight English, Français or Español, then press MENU/SELECT. The screen prompts Set English/Français/Español as LCD language?

LCO LA¥8.AŒ >English ♦

Set Francais as LCD language?

5. Press **MENU/SELECT** to confirm and save your preference. There is a confirmation tone and the screen returns to the previous menu.



**NOTE:** If you accidentally change the LCD language to French or Spanish, you can reset it back to English without going through the French or Spanish menus. Press **MENU/SELECT** on the base in idle mode, then enter **364#**. There is a confirmation tone.

## Voice language

You can select the voice language (English or French) to be used for the voice prompts in your answering system or caller ID announce.

- 1. Press **MENU/select** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Voice language**, then press **MENU/SELECT**.
- 4. Press MENU/SELECT to choose Answering sys, then press MENU/SELECT.

XVoice lan9ua9e Caller ID anno ♣

XAnswerin9 sus Caller ID anno ♦

VOICE LANGUAGE >English ♦

-OR-

Use **▼CID** or **△DIR** to scroll to **Caller ID** annc, then press **MENU/SELECT**.

Press ▼cid or ▲dir to choose English or Français, then press
 MENU/SELECT to confirm your selection. You hear a confirmation tone.

### Caller ID announce

The caller ID announce feature lets you know who's calling without having to look at the display. When you have an incoming call, the handset and/or base speaks "Call from..." and the name of the caller based on the directory or caller ID information. If the caller's name is private or unknown, the phone number up to the last 11 digits will be announced. If the caller's phone number is also private or unknown, no information will be announced. The default setting is **On**.

### To turn on or off the caller ID announce feature:

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼ciD or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **△DIR** to scroll to **Caller ID** annc, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to highlight the desired option, then press MENU/SELECT.
  - Set all On/Off Change the setting for the base and all handsets.
  - Base Change the setting for the telephone base only.
- 5. Use ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT. There is a confirmation tone and the screen returns to the previous menu. If you change the setting to Set all On/Off, the screen shows CID Annc ON/OFF on all HS & BS.



- To use the caller ID announce feature, you must subscribe to caller ID service from your telephone service provider.
- This feature does not announce information for call waiting calls.
- It takes at least 2 rings for the phone to receive caller ID information and announce it. If the
  phone is answered before the end of the second ring, the phone won't have time to announce
  the caller's information.
- Pronunciation of names may vary with this feature. Not all names may be pronounced correctly.
- · Caller ID announce is available in English and French.





## Set speed dial voicemail number

This feature lets you save your voicemail number for easy access when you press and hold the  $\mathbf{M} \mathbf{1}$  key.

## To save your voicemail number:

- Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Voicemail** #, then press **MENU/SELECT**.
- 4. Use the dialing keys to enter the voicemail access number provided by your telephone service provider (up to 30 digits) when prompted.
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Press X/DELETE on the telephone base to erase a digit.
  - Press and hold X/DELETE on the telephone base to erase all digits.
  - Press REDIAL/PAUSE to enter a three-second dialing pause (a p appears).
- 5. Press **MENU/SELECT** to save. There is a confirmation tone and the screen displays **Voicemail # saved**, then returns to the previous menu.

## Voicemail (visual message waiting) indicator

If you subscribe to a voicemail service offered by your telephone service provider, this feature provides a visual indication when you have new voicemail messages.

**New voicemail** and the **™** icon appear on the telephone base screen.





#### NOTES:

- · This feature does not indicate new messages recorded on your phone's built-in answering system.
- For more information about the difference between your answering system and voicemail, see page 84.







### Clear voicemail indication

Use this feature when the telephone indicates there is new voicemail but there is none. For example, when you have accessed your voicemail while away from home. This feature only turns off the displayed **New voicemail** and the icon; it does not delete your voicemail messages. As long as you have new voicemail messages, your telephone service provider continues to send the signal to turn on the indicators.





## To manually turn off the new voicemail indicators:

- 1. Press **MENU/select** when in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use ▼CID or ▲DIR to scroll to Clr voicemail, then press MENU/SELECT.

  The screen shows Reset Voicemail Indicator?
- 4. Press **MENU/SELECT** again to turn the voicemail indication off. There is a confirmation tone and the screen returns to the previous menu.



- Your telephone service provider may alert you to new messages with a stutter (broken) dial tone.
   Contact your telephone service provider for more details.
- For information about using your voicemail service, contact your telephone service provider.

# Telephone base settings

#### Rename base


You can edit the name for the telephone base.

- 1. When the telephone is idle, press MENU/SELECT.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Rename base, then press MENU/SELECT.
- 4. Change the telephone base name when prompted.
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Use the dialing keys to enter a name (up to 11 characters). Each time you press a key, a character on that key appears. Additional key presses produce other characters on that key. See the chart on page 60.
  - Press X/DELETE to backspace and delete a character.
  - Press and hold **X/DELETE** to delete all characters.
- 5. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone.

## Key tone

The telephone base is set to beep with each key press. You can adjust the key tone volume or turn it off. If you turn off the key tone, there are no beeps when you press keys.

- Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼ciD or ▲DIR to scroll to Key tone, then press MENU/SELECT.
- Use ▼CID or ▲DIR to select the desired volume or Off.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.









# Telephone base settings

# Use caller ID to automatically set date and time

If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. Follow the steps to turn the **CID time sync** feature on or off. The default setting is **On**.

- 1. When the telephone is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼ciD or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to CID time sync, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save. There is a confirmation tone and the screen returns to the previous menu.





#### Home area code

If you dial seven digits to make a local call (no area code required), enter your area code into the telephone as the home area code. When you receive a call from within your home area code, the caller ID history only displays the seven digits of the telephone number.

This feature makes it easy for you to place a call from the caller ID log. If you dial ten digits to make a local phone call, do not use this home area code feature. If you do, you cannot place local calls from your caller ID log, as they will have only seven digits.

#### To set the home area code:

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use ▼CID or ▲DIR to scroll to Home area code, then press MENU/SELECT. The screen briefly shows Only for 7digit dial from CID.
- 4. Use the dialing keys to enter a three-digit home area code.
  - Press X/DELETE to delete a digit.
  - Press and hold X/DELETE to delete all digits.
- 5. Press MENU/SELECT to save. There is a confirmation tone and the screen shows Area code will not show in CID briefly before returning to the previous menu.





# Telephone base settings



NOTE: If in the future, your telephone service provider requires you to dial ten digits to make a local call (area code plus telephone number), you need to delete your home area code and dial out locally from the caller ID log. With the home area code displayed, press and hold X/DELETE until the digits are deleted, and then press MENU/SELECT.


The home area code is now restored to its default setting of \_ \_ \_ (empty).

#### Dial mode

The dial mode is preset to tone dialing. If you have pulse (rotary) service, you must change the dial mode to pulse dialing before using the telephone.

#### To set the dial mode:

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Dial mode, then press MENU/SELECT.
- 4. Use ▼CID or ▲DIR to highlight Touch-tone or Pulse, then press MENU/SELECT. There is a confirmation tone and the screen returns to the previous menu.





#### Web address

Use this feature to view the AT&T website address.

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Web address, then press MENU/SELECT.

Settin9s XVeb address \$

www.telephones. att.com

# Making a call

# Using a cordless handset:

Press \PHONE/FLASH or \\$\sqrt{SPEAKER}\$, then enter the telephone number.

The screen displays the elapsed time as you talk (in hours, minutes and seconds).

# Using the telephone base:

• Press **⑤/SPEAKER**, then enter the telephone number.

The screen displays the elapsed time as you talk (in hours, minutes and seconds).



# Elapsed time





**NOTE:** Pressing **\PHONE**/**FLASH** or **\PI**/**SPEAKER** to access services from your telephone service provider does not affect the elapsed time.

# On hook dialing (predialing)

# Using a cordless handset:

- 1. Enter the telephone number. Press **MUTE/DELETE** to make corrections when entering the phone number.
- 2. Press **\PHONE/FLASH** or **♠)/SPEAKER** to dial.

# Using the telephone base:

- 1. Enter the telephone number. Press **X/DELETE** to make corrections when entering the phone number.
- 2. Press **⑤/SPEAKER** to dial.

# Answering a call

# Using a cordless handset:

- Press \PHONE/FLASH or ♥/SPEAKER.
  - -OR-
- Press any dialing key (0-9, TONE X or #).

# Using the telephone base:

- Press ♥)/SPEAKER.
  - -OR-
- Press any dialing key (0-9, TONE \* or #).

# **Ending a call**

## Using a cordless handset:

• Press **OFF/cancel** or return the handset to the telephone base or charger.

## Using the telephone base:

Press ◆)/SPEAKER.


#### Auto off

A call ends automatically when you put the handset in the telephone base or charger.

## Temporary ringer silencing

## Using a cordless handset:

Press OFF/CANCEL or MUTE/DELETE while the telephone is ringing to silence the ringer temporarily on that handset only. This turns off the ringer without disconnecting the call. The next incoming call rings normally at the preset volume.



# Using the telephone base:

Press **CANCEL** or **MUTE** while the telephone is ringing to silence the ringer temporarily on the telephone base only. This turns off the ringer without disconnecting the call. The next incoming call rings normally at the preset volume.





**NOTE:** The telephone base and all handsets ring when there is an incoming call unless the ringer volume is turned off on that device.

# Handset speakerphone

During a call, press **I**)/**SPEAKER** to switch between handsfree speakerphone and normal handset use. Press **I**OFF/CANCEL or return the handset to the telephone base or charger to hang up.



- When you use the speakerphone on the handset, the key pad and the ¶೨/SPEAKER button on the handset are lit. When you use the speakerphone on the telephone base, the ¶೨/SPEAKER button on the telephone base is lit.
- The speakerphone uses more power than the normal handset. If the handset battery becomes
  very low while you are using the speakerphone, the call remains in speakerphone mode until you
  hang up or the battery becomes depleted.
- After installing a battery into the handset, the screen may show Low battery. If you use the
  speakerphone at this time, the battery may become depleted. Follow the instructions in the
  Battery installation and charging section on pages 9-10.

#### Last number redial

Each handset and the telephone base stores the last ten telephone numbers dialed (up to 30 digits each).

# To view the ten most recently dialed numbers:

# Using a cordless handset:

- To display the most recently called number, press REDIAL/PAUSE.
- To view up to ten recently called numbers, press
   REDIAL/PAUSE, then ▼CID, ▲DIR or REDIAL/PAUSE repeatedly.

The handset beeps twice at the end of the list. Press **OFF/CANCEL** to exit.



## Using the telephone base:

- To display the most recently called number, press REDIAL/PAUSE.
- To view up to ten recently called numbers, press REDIAL/PAUSE, then ▼CID, ▲DIR or REDIAL/PAUSE repeatedly.



The telephone base beeps twice at the end of the list. Press CANCEL to exit.

#### To redial a number:

## Using a cordless handset:

- To dial the displayed number, press \PHONE/FLASH or ♥ /SPEAKER.
   -OR-
- Press \PHONE/FLASH or \DISPEAKER, then press REDIAL/PAUSE repeatedly to view the redial memory. Press MENU/SELECT to dial the displayed number.

## Using the telephone base:

- To dial the displayed number, press ♥/SPEAKER.
  - -OR-
- Press **I**/SPEAKER, then press REDIAL/PAUSE repeatedly to view the redial memory. Press MENU/SELECT to dial the displayed number.

# To delete a redial entry:

## Using a cordless handset:

 While the screen displays the desired number, press MUTE/DELETE to delete the number from the redial memory.

## Using the telephone base:

 While the screen displays the desired number, press X/DELETE to delete the number from the redial memory.

# **Equalizer**

The handset equalizer enables you to change the quality of the audio to best suit your hearing.

While on a call or intercom call, or listening to a message or announcement, press **EQ** to select the equalizer setting **Treble 1**, **Treble 2**, **Bass** or **Natural** (the default setting). The current setting is shown on the handset screen for two seconds.



- If you switch the call between the handset and the speakerphone by pressing \$\sqrt{9}\$/SPEAKER, the audio setting remains unchanged.
- The current equalizer setting remains unchanged until a new setting is selected.











#### Volume control

## Using a cordless handset:

You can set the listening volume to one of six levels. While on a call, press ▼ciD/VOLUME to decrease or press ▲DIR/VOLUME to increase the listening volume.

# REDIAL DIR SELECT VOLUME CID OFF CANCEL

## Using the telephone base:

You can set the listening volume to one of eight levels. While on a call, press ▼/VOLUME to decrease or VOLUME/▲ to increase the listening volume.



- · Handset and speakerphone volume settings are independent.
- When the volume reaches the minimum or maximum setting, you hear two beeps.



# **Call waiting**

If you subscribe to call waiting service from your telephone service provider, and someone calls while you are already on a call, you hear two beeps.

- Press \PHONE/FLASH on the handset or FLASH on the telephone base to put your current call on hold and take the new call.
- Press **\PHONE/FLASH** on your handset or **FLASH** on your telephone base at any time to switch back and forth between calls.



#### Mute

Use the mute function to turn off the microphone. You can hear the caller, but the caller cannot hear you.

## Using a cordless handset:

#### To mute a call:

 While on a call, press MUTE/DELETE. When mute is on, the handset shows Muted for a few seconds and MUTE icon displays until you turn off mute.

#### To end mute a call:

Press MUTE/DELETE again. When mute is off,
 Microphone ON appears temporarily on the handset.

## Using the telephone base:

#### To mute a call:

 While on a call, press MUTE. When mute is on, the telephone base shows Muted for a few seconds.

#### To end mute a call:


 Press MUTE again. When mute is off, Microphone ON appears temporarily on the telephone base.














## Chain dialing

Use this feature to initiate a dialing sequence from the numbers in the directory, caller ID history or redial memory while you are on a call.

Chain dialing is useful when you wish to access other numbers (such as bank account numbers or access codes) from the directory, caller ID history or redial list.

## Using a cordless handset:

# To access the directory while on a call:

- 1. Press MENU/select.
- 2. Press ▼CID or ▲DIR to scroll to Directory and then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

## To access the caller ID log while on a call:

- 1. Press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

## To access the redial list while on a call:

- Press REDIAL/PAUSE to show the most recently dialed number.
- Press ▼CID or ▲DIR to scroll to the desired number, or press REDIAL/PAUSE repeatedly to find the desired number. Press MENU/SELECT to dial the number shown.







# Using the telephone base:

# To access the directory while on a call:

- 1. Press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Directory and then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

## To access the caller ID log while on a call:

- 1. Press **MENU/select**.
- 2. Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

#### To access the redial list while on a call:

- Press REDIAL/PAUSE to show the most recently dialed number.
- Press ▼CID or ▲DIR to scroll to the desired number, or press REDIAL/PAUSE repeatedly to find the desired number. Press MENU/SELECT to dial the number shown.











- You cannot edit a directory entry while on a call. For more details about the directory, see pages 58-67.
- You cannot copy a caller ID entry into the directory while on a call. For more details about the caller ID history, see pages 68-74.
- If you press REDIAL/PAUSE while on a call, you can only view the ten most recently dialed numbers but you cannot erase the entries. For more details about the redial memory, see pages 36-37.
- Press or CANCEL on the handset or CANCEL on the telephone base to exit redial, directory
  or caller ID history when on a call.

# Temporary tone dialing

If you have pulse (rotary) service only, you can switch from pulse to touch-tone dialing temporarily during a call. This is useful if you need to send touch-tone signals to access your telephone banking or long distance services.

- 1. During a call, press TONEX.
- 2. Use the dialing keys to enter the desired number. The telephone sends touch-tone signals.
- 3. The telephone automatically returns to pulse dialing after you end the call.

#### Blind transfer

While on an outside call, you can transfer the call to a specific device or any device without notifying them.

#### To transfer an outside call from a handset:

- 1. During the call, press **MENU/SELECT**.
- Press MENU/SELECT to choose Transfer.
  - If you have one handset, the outside call is put on hold and your handset shows Transferring call... The telephone base rings and shows

Transfer from HANDSET X.

• If you have more than one handset, your screen shows TRANSFER TO: Use the dialing keys to enter a specific device number (0 for the telephone base, 1-9 for handsets 1-9. TONEX followed by 0-2 for handsets 10-12, or **TONEX** followed by # for all devices), or press **▼CID** or **▲DIR** to scroll to the desired device and press MENU/SELECT. The outside call is put on hold and your handset screen shows Transferring call... or Transferring call to all... The other device rings and shows Transfer from HANDSET X (HANDSET represents the handset







- name, X represents the handset number). 3. To answer the call on the destination handset, press \PHONE/FLASH or
- **◆)/SPEAKER**. To answer the call on the telephone base, press **♦)/SPEAKER**. The initiating handset shows **Call transferred** and goes to idle mode

# To transfer an outside call from the telephone base:

- 1. During the call, press MENU/SELECT.
- 2. Press MENU/SELECT to choose Transfer.
  - If you have one handset, the outside call is put on hold and the telephone base shows Transferring call... The handset rings and shows Transfer from BASE 0 (BASE represents the hase name)
  - If you have more than one handset, the telephone base shows TRANSFER TO: Use the dialing keys to enter a specific handset number (1-9 for handsets 1-9. TONEX followed by 0-2 for handsets 10-12, or **TONEX** followed by # for all handsets). or press **▼CID** or **△DIR** to scroll to the desired handset and press MENU/SELECT. The outside call is put on hold and







represents the base name). 3. To answer the call on the destination handset, press **\PHONE/FLASH** or **♦ SPEAKER**. The telephone base shows **Call transferred** and goes to idle mode.

the telephone base shows Transferring call... or Transferring call to all... The other handset(s) rings and shows Transfer from BASE 0 (BASE

- To cancel the transfer and return to the external call before the blind transfer call is answered, press FOFF/CANCEL, PHONE/FLASH or SPEAKER on your handset, or CANCEL or SPEAKER on your telephone base.
- If the other device does not answer the transfer within 30 seconds, the transfer ends and the initiating device rings while showing No response to transfer. If it does not pick up within 30 seconds, the device returns to idle mode and the outside call ends.

# Multiple handset use

#### **Handset locator**

The handset locator feature is useful if you misplace any handsets.

## To start the paging tone:

 Press HANDSET LOCATOR on the telephone base to start the paging tone on all handsets for 60 seconds.



**NOTE:** If you press **OFF/CANCEL** or **MUTE/DELETE** on a handset, the ringer of that handset stops, but the paging to the rest of the handsets continues.

# To stop the paging tone:

Press \PHONE/FLASH, \●\SPEAKER, or any dialing key (0-9, TONE \( \frac{\pm}{\pm} \) on the handset(s).



Press **/HANDSET LOCATOR, MUTE** or **CANCEL** on the telephone base.

# Join a call in progress

When a handset or the telephone base is already on a call and you would like to join the call, press **\PHONE/FLASH** or **\PHONE/FLASH** or **\PHONE/FLASH** on your handset or **\PHONE/FLASH** on your telephone base.

To end the call using a handset, press **OFF/CANCEL** or place the handset in the telephone base or charger. To end the call using the telephone base, press **I)/SPEAKER**. The call does not end until all handsets and the telephone base hang up.



**NOTE:** You can use up to four system handsets and the telephone base at the same time on an outside call.



## Intercom

Use the intercom feature for conversations between two handsets, or a handset and the telephone base. You can buy additional expansion handsets (model AT&T CL80143/CL80173/CL80183/CL80193) for this telephone base to expand your telephone system (up to 12 handsets).

## Using a cordless handset:

- Press MENU/SELECT in idle mode to enter the main menu.
   Press ▼ciD or ▲DIR to scroll to Intercom, then press MENU/SELECT.
  - If you have one handset, the handset shows Calling base.
  - If you have more than one handset, the handset shows
     INTERCOM TO: Use the dialing keys to enter a specific
     device number (0 for the telephone base, 1-9 for
     handsets 1-9, TONE¥ followed by 0-2 for handsets
     10-12, or TONE¥ followed by # for all devices), or press
     ▼CID or ▲DIR to scroll to the desired device and press
     MENU/SELECT. Your handset screen shows
     Calling HANDSET X, Calling BASE 0 or
     Calling all devices.







The destination device(s) rings and shows **HANDSET** is calling, **HANDSET** X is calling or **HANDSET** X is calling all (**HANDSET** represents the handset name, X represents the handset number).

- 2. To answer the intercom call, press **\PHONE/FLASH**, **⑤/SPEAKER** or any dialing key (**0-9**, **TONE**★, or #) on the called device. Both devices now show **Intercom**.
- To end the intercom call, one party presses OFF/CANCEL, or place the handset back in the telephone base or charger; or presses CANCEL on the telephone base. The other party hears four beeps. Both devices display Intercom ended.

## Intercom

## Using the telephone base:

- Press MENU/SELECT in idle mode to enter the main menu. Press ▼ciD or ▲DIR to scroll to Intercom, then press MENU/SELECT.
  - If you have one handset, the telephone base shows Calling HANDSET X.
  - If you have more than one handset, the telephone base shows INTERCOM TO: Use the dialing keys to enter a specific handset number (1-9 for handsets 1-9, TONE¥ followed by 0-2 for handsets 10-12, or TONE¥ followed by # for all handsets), or press ▼CID or ▲DIR to scroll to the desired handset and press MENU/SELECT. The telephone base shows Calling HANDSET X or Calling all handsets.

Calling HANDSET X Base is calling

Intercon

The destination handset(s) rings and shows Base is calling, BASE 0 is calling or BASE 0 is calling all.

- 2. To answer the intercom call, press \PHONE/FLASH, ♠ /SPEAKER or any dialing key (0-9, TONE¥, or #) on the destination handset. Both the base and the handset now show Intercom.
- 3. To end the intercom call, one party presses **(OFF/CANCEL**, or places the handset back in the telephone base or charger; or presses **CANCEL** on the telephone base. The other party hears four beeps. Both devices display **Intercom ended**.



#### NOTES.

- Before the intercom call is answered, you can cancel it by pressing forf/CANCEL on the handset or CANCEL on the telephone base.
- If the called party does not answer within 100 seconds or if the handset is in use, on a call or out of range, the initiating device shows **No answer. Try again**.
- To temporarily silence the intercom ringer, press OFF/CANCEL or MUTE/DELETE on the handset, or press CANCEL or MUTE on the telephone base.
- You can only use one pair of devices at a time to make intercom calls.

## Intercom

# Answer an incoming call during an intercom call

If you receive an outside call during an intercom call, there is a two-beep call waiting tone.

- To answer the call, press \PHONE/FLASH or \□/SPEAKER on the handset, or \□/SPEAKER on the telephone base. The intercom call ends automatically. The party on the intercom call hears four beeps. Other system devices can also answer the incoming call by pressing \PHONE/FLASH or \□/SPEAKER on the handset or \□/SPEAKER on the telephone base.
- To end the intercom call without answering the incoming call, press OFF/CANCEL on the handset or CANCEL on the telephone base.

# Call transfer using intercom

Use the intercom feature to transfer an outside call to another system handset or the telephone base. You can also share an outside call with another system handset or the telephone base.

# To transfer or share an outside call using intercom:

# Using a cordless handset:

- 1. During the call, press **MENU/SELECT**.
- 2. Press **▼CID** or **▲DIR** to scroll to **Intercom** and press **MENU/SELECT**.
- 3. Choose the device(s) you would like to transfer the call to using the options from Step 1 on page 46.
- 4. When the destination device picks up, your handset shows **Intercom** and the outside call is put on hold. You have the following options:
  - You can transfer the call. Press MENU/SELECT twice to choose Transfer. The handset shows
     Call transferred. The other device automatically connects to the outside call.



- You can let the other device join you on the outside call in a three-way conversation. Press MENU/SELECT.
   Press ▼ciD or ▲DIR to highlight Share call, then press MENU/SELECT.
- You can end the intercom call and continue the outside call with your handset. Press \PHONE/FLASH or OFF/CANCEL on your handset (the ended intercom call party hears four beeps).

# Using the telephone base:

- 1. During the call, press MENU/SELECT.
- 2. Press **▼CID** or **△DIR** to scroll to **Intercom** and press **MENU/SELECT**.
- 3. Choose the handset(s) you would like to transfer the call to using the options from Step 1 on page 47.
- 4. When the destination handset(s) picks up, the telephone base shows **Intercom** and the outside call is put on hold. You have the following options:
  - You can transfer the call. Press MENU/SELECT twice to choose Transfer. The telephone base shows Call transferred. The other handset automatically connects to the outside call.



- You can let the other handset join you on the outside call in a three-way conversation. Press MENU/SELECT. Press
   ▼CID or ▲DIR to highlight Share call, then press MENU/SELECT.
- You can end the intercom call and continue the outside call with the telephone base. Press CANCEL on the telephone base (the ended intercom call party hears four beeps).

You can directly broadcast messages to the speakerphone of any device. Press and hold PUSH TO TALK on a handset or PTT on the telephone base to begin two-way communication.

- Only one device can talk at a time. While talking to another device, <u>press and hold</u> **PUSH TO TALK** on the handset or **PTT** on the telephone base.
- You must release **PUSH TO TALK** on the handset or **PTT** on the telephone base, so the other person can respond.
- Only one PTT session can be active at a time.
- While PTT is in use between two devices, other devices cannot use the intercom feature but can access the answering system.
- When you attempt to place a PTT call to another device which is accessing
  the answering system or on an intercom call or outside call, your device
  screen shows Not available at this time.



**NOTE:** The PTT function is not available when QUIET mode is on.

## Turn PTT on or off

# Using a cordless handset:

- Press PUSH TO TALK when the handset is not in use. The PUSH TO TALK menu displays.
- 2. Press ▼CID or ▲DIR to highlight PTT On/Off, then press MENU/SELECT.



PTT

3. Press ▼CID or ▲DIR to choose On or Off, then press MENU/SELECT.

# Using the telephone base:

- Press PTT when the telephone base is not in use. The PUSH TO TALK menu displays.
- Press ▼CID or ▲DIR to highlight PTT On/Off, then press MENU/SELECT.



3. Press ▼CID or ▲DIR to choose On or Off, then press MENU/SELECT.



 ${\it NOTE}$ : The handset or the telephone base screen displays  ${\it No~Incoming~PTT}$  when PTT is turned off.



# PTT call to a single device

# Using a cordless handset:

- 1. There are a few ways to begin a PTT call to a single device. When the handset is not in use:
  - If you have one handset, press and hold PUSH TO TALK.
  - If you have more than one handset:
    - Press PUSH TO TALK on the handset, then use the dialing keys to enter the destination device number.
    - -OR-

The handset shows **Connecting to HANDSET X...** (**HANDSET** represents the handset name, **X** represents the destination handset number) or **Connecting to BASE 0...** (**BASE** represents the base name) for a few seconds. When the connection is made, both your and the destination device screens display **Press and hold [PTT] to talk**.

2. <u>Press and hold</u> **PUSH TO TALK**. A chirp indicates your microphone is on. Speak towards the device. Your voice is broadcast to the destination device.

While you are speaking, your handset shows **PTT To handset: X** or **PTT To base**.



- Release PUSH TO TALK after speaking. Both devices beep once again and the screens show Press and hold [PTT] to talk, then you can press and hold PUSH TO TALK to continue speaking or the destination device can respond (see Answer a PTT call on page 55).
- 4. To end the PTT call, press OFF/CANCEL or place the handset in the telephone base or charger. The handset shows Push to talk ended.







# Using the telephone base:

- 1. There are a few ways to begin a PTT call to a single handset. When the telephone base is not in use:
  - If you have one handset, press and hold PTT.
  - If you have more than one handset:
    - Press PTT, then use the dialing keys to enter the destination handset number.

-OR-

 Press ▼CID or ▲DIR to highlight the destination handset number, then press MENU/SELECT or PTT.

PUSH TO TALK >Handset X

> Connectin9 to Handset X...

Press and hold [PTT] to talk

The telephone base shows **Connecting to HANDSET X...**(**HANDSET** represents the handset name, **X** represents the destination handset number) for a few seconds. When the connection is made, both the telephone base and destination handset display **Press and hold [PTT] to talk**.

2. <u>Press and hold</u> **PTT**. A chirp indicates your microphone is on. Speak towards the telephone base. Your voice is broadcast to the destination handset.

PTT To handset: X

While you are speaking, the telephone base shows **PTT To handset: X**.

- Release PTT after speaking. Both devices beep once again and the screens show Press and hold [PTT] to talk, then you can press and hold PTT to continue speaking or the destination device can respond (see Answer a PTT call on page 55).
- 4. To end the PTT call, press **CANCEL**. The telephone base shows **Push to talk Ended** for a few seconds.

# PTT call to multiple devices

When there are multiple handsets registered to the phone system, PTT supports one-to-group calls. PTT supports a maximum of one-to-five calls when one to five handsets are registered, and a maximum of one-to-four calls when six or more handsets are registered. The first four registered handsets will be able to use this feature. Other handsets can only use PTT for one-to-one calls.

## To call multiple devices:

## Using a cordless handset:

- 1. You have three ways to call multiple devices. When the handset is not in use:
  - Press and hold PUSH TO TALK until the handset shows Connecting to group...
  - Press PUSH TO TALK. Press ▼CID or ▲DIR to choose Group. Press MENU/SELECT or press PUSH TO TALK and your handset shows Connecting to group...
  - Press PUSH TO TALK. Press TONE\* followed by # (pound key). The handset shows Connecting to group...

When the connection is made, both the caller and the destination parties hear a beep. The speakerphones on all other devices automatically activate.


- 2. You need to <u>press and hold</u> **PUSH TO TALK** when you want to speak. Speak towards the handset. Your voice is broadcast to all devices.
- 3. Release PUSH TO TALK after speaking.
- 4. Any extension can reply (see Answer a PTT call on page 55).

# Using the telephone base:

- 1. You have three ways to call multiple handsets. When the telephone base is not in use:
  - Press and hold PTT until the screen shows Connecting to group...
  - Press PTT. Press ▼CID or ▲DIR to choose Group. Press MENU/SELECT or press PTT and the telephone base shows Connecting to group...
  - Press PTT. Press TONE\* followed by # (pound key). The screen shows
     Connecting to group...

When the connection is made, both the caller and the destination parties hear a beep. The speakerphones on all other devices automatically activate.

- 2. You need to <u>press and hold</u> **PTT** when you want to speak. Speak towards the telephone base. Your voice is broadcast to all devices.
- 3. Release PTT after speaking.
- 4. Any extension can reply (see Answer a PTT call on page 55).



### Answer a PTT call

You can respond to a PTT call, as described below.

- 1. When your device receives a PTT call, it beeps and shows **Press and hold** [PTT] to talk.
- 2. When the other party is speaking, your speakerphone light is on, and your device shows:
  - PTT From HS X To HS X (the first X represents the initiating handset number, and the second X represents your handset number; a maximum of four handset numbers appear).

#### -OR-

 PTT From HS X To Base & HS X (the first X represents the initiating handset number, and the second X represents your handset number; a maximum of four handset numbers appear).

#### -OR-

- **PTT From Base To HS X** (the **X** represents your handset number; a maximum of five handset numbers appear).
- 3. When your speakerphone light is off (the screen shows **Press and hold** [PTT] to talk), press and hold PUSH TO TALK on your handset or PTT on your telephone base. You will hear a chirp. Speak towards the device.
  - While you are speaking, your device shows PTT To Handset: X
     (X represents the handset numbers of one or more destination handsets;
     a maximum of five handset numbers appear) or
     PTT To Base & Handset: X (X represents the handset numbers of one or
     more destination handsets; a maximum of four handset numbers appear).
  - · Your voice is broadcast to all destination devices.

After speaking, release **PUSH TO TALK** on your handset or **PTT** on your telephone base. Your device will beep. After the beep, if your speakerphone light is off, you can <u>press and hold</u> **PUSH TO TALK** on your handset or **PTT** on your telephone base to continue speaking, or the destination device can respond.

# Change a one-to-one PTT call to an intercom call

You can convert a one-to-one PTT session to an intercom call.

- 1. When your device shows **Press and hold [PTT] to talk**, press **MENU/SELECT**. The screen shows **Intercom**.
- Press MENU/SELECT. Your device displays Calling BASE 0 or Calling HANDSET X. The destination device briefly shows Push to talk Ended and then HANDSET X is calling or BASE 0 is calling. The destination device rings.
- 3. Press \PHONE/FLASH or any dialing keys (0-9, # or TONE\) on the destination handset, or press \D\/SPEAKER or any dialing keys (0-9, # or TONE \) on the telephone base to answer the intercom call. Both devices now show Intercom.
- 4. To end the intercom call, press **OFF/cancel** on your handset or place the handset in the telephone base or charger, or press **CANCEL** on the telephone base. Both screens show **Intercom ended**.

# Answer an incoming call during a PTT call

When you receive an outside call during PTT, there is an alert tone.

- During a one-to-one PTT, press \PHONE/FLASH on the initiating or destination handset. The PTT call ends automatically and the outside call is answered.
- During a one-to-group PTT call, press **\PHONE/FLASH** on the initiating handset or **◄)/SPEAKER** on the initiating telephone base. The PTT call ends automatically and the outside call is answered.
- During a one-to-group PTT call, press \PHONE/FLASH on any one of the
  destination handsets, or press ♥ / SPEAKER on the destination telephone
  base. That device answers the outside call. The PTT call continues for the
  rest of the PTT participants.
- To leave the PTT call without answering the incoming call, press
   OFF/CANCEL on your handset or CANCEL on your telephone base. The telephone continues to ring.

# Make an outgoing call during PTT call

- During a one-to-one PTT call, press \PHONE/FLASH on your handset or \DISPEAKER on your telephone base to get a dial tone. The PTT call ends automatically.
- During a one-to-group PTT call, press \PHONE/FLASH on the initiating handset or ¶೨/SPEAKER on the initiating telephone base. The PTT call ends automatically and you get a dial tone.
- During a one-to-group PTT call, press \PHONE/FLASH on any one of the
  destination handsets or press ♥೨/SPEAKER on the destination telephone
  base. That device gets a dial tone. The PTT call continues for the rest of
  the PTT participants.

#### End or leave a PTT call

For one-to-one PTT calls, both initiating and destination devices can end the PTT call. For PTT calls to multiple devices, the initiating device can end the PTT call. If any one of the destination devices leaves the PTT call, the call continues until all participants or the initiator hangs up.

Press OFF/cancel on the handset, or press CANCEL on the telephone base. The screen shows Push to talk Ended.

#### -OR-

Place the handset in the telephone base or charger, then the handset return to idle mode.



**NOTE:** After **PUSH TO TALK** on the handset or **PTT** on the telephone base is released, the PTT call remains open for a short time. If no one presses **PUSH TO TALK** on the handset or **PTT** on the telephone base within ten seconds, the PTT call ends automatically.

# About the directory

# **Shared directory**

The directory is shared by all handsets and the telephone base. Changes made to the directory from any device apply to all.





**NOTE:** Only one handset or the telephone base can review the directory at a time. If another device tries to enter the directory, the screen shows **Not available at this time**.

## Capacity

The directory can store up to 50 entries, with a maximum of 15 alphanumeric characters (including spaces) for names and 30 digits for telephone numbers. A convenient search feature can help you find and dial numbers quickly (page 62).

If you try to save an entry when there are already 50 entries, the screen shows **Directory full**. You cannot store a new number until you delete one.

# Create directory entries

## Create a new directory entry

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Directory, then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to highlight **Add contact**.
- 4. Press MENU/SELECT.
- 5. Use the dialing keys to enter a telephone number (up to 30 digits) when prompted.
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to erase a digit.
  - Press and hold MUTE/DELETE on the handset or X/DELETE on the telephone base to erase all digits.
  - <u>Press and hold</u> **REDIAL/PAUSE** to enter a three-second dialing pause (a **p** appears).

# Answering sys >Directory \$ Î





#### -OR-

Copy a number from the redial list by pressing **REDIAL/PAUSE** and then **▼CID** or **▲DIR**, or pressing **REDIAL/PAUSE** repeatedly to locate the number. Press **MENU/SELECT** to copy the number.

- 6. Press MENU/SELECT to move on to the name.
  - The display shows Number already saved if the number is already in the directory. You cannot save the same number twice.
- 7. Use the dialing keys to enter a name (up to 15 characters) when prompted. Each time you press a key, the character on that key appears. Additional key presses produce other characters on that key. See the chart on next page.
  - Press ▼ciD or ▲DiR to move the cursor to the left or right.
  - Press **0** to add a space.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to erase a character.
  - <u>Press and hold</u> **MUTE/DELETE** on the handset or **X/DELETE** on the telephone base to erase all characters.
  - Press a>A to change the next letter to upper or lower case.





# Create directory entries



**NOTE:** The first letter of every word is a capital letter. The remaining letters in a word start as lower case letters, as shown in the chart below.

Dialing keys	Characters by number of key presses										
	1	2	3	4	5	6	7	8	9	10	11
1	1		1	,	(	)	*	#	&	/	,
2	Α	В	С	а	b	С	2				
3	D	Е	F	d	е	f	3				
4	G	Н	- 1	g	h	i	4				
5	J	K	L	j	k	l	5				
6	М	N	0	m	n	0	6				
7	Р	Q	R	S	р	q	r	S	7		
8	Т	U	V	t	u	V	8				
9	W	Х	Υ	Z	W	х	у	Z	9		
0	space	0									
*											
#											

 Press MENU/SELECT to store your new directory entry. There is a confirmation tone and the screen shows Saved. To change the entry later, see page 64.

# Add a predialed telephone number to the directory

You can save a predialed telephone number to the directory.

- 1. Enter the telephone number when in idle mode.
- 2. Follow the steps in **Edit a directory entry** on page 64.

Robert Brown 888-883-2445

Ê

## **Review directory entries**

1. Press **ADIR** when in idle mode. The summary screen shows briefly and then the first entry in the directory shows.

#### -OR-

Press **MENU/SELECT** when in idle mode, then press **▼CID** or **▲DIR** to scroll to **Directory**. Press **MENU/SELECT** twice.

2. Press **▼CID** or **▲DIR** to browse through the directory. Entries appear alphabetically by the first letter in the name.



- If the telephone number in the directory exceeds 15 digits, <\* appears in front of the telephone number. Press TONE \*\footnote{\text{to}}\ to move towards the end of the telephone number or press # (pound key) to move towards the beginning of the telephone number.
- **Directory empty** appears if there are no directory entries.

## Search by name

- 1. Press ADIR in idle mode to show the first listing in the directory.
- 2. When an entry appears, press the dialing keys (**0-9**) to start a name search. The directory shows the first name beginning with the first letter associated with the dialing key, if there is an entry in the directory beginning with that letter. Press ▼CID or ▲DIR to scroll through the directory.
- 3. To see other names starting with the letters on the same dialing key, keep pressing the key. The names appear in alphabetical order.

For example, if you have the names **Jennifer**, **Jessie**, **Kevin** and **Linda** in your directory:

- If you press 5 (JKL) once, you see Jennifer. Press ▼ciD and you see Jessie.
- If you press 5 (JKL) twice, you see Kevin.
- If you press 5 (JKL) three times, you see Linda.
- If you press **5** (**JKL**) four times, you see **5** and then the directory entry beginning with 5 or the next closest entry after 5.
- If you press 5 (JKL) five times, you see Jennifer again.



- If there is no name matching the first letter of the key you press, the directory shows a name matching the following letters of the key.
- If you press a key (**0-9**) and no name starts with any of the letters on that key, the directory shows the entry matching the next letter in the directory.

# Dial, delete or edit directory entries

To dial, delete or edit a directory entry (name and number), the entry must be displayed on the screen. Use **Review the directory** (page 61) or **Search by name** (page 62) to show an entry.

# Display dial

To dial a displayed number from the directory, press **\PHONE/FLASH** or **■)/SPEAKER** on the handset, or **■)/SPEAKER** on the telephone base.

# Delete a directory entry

# Using a cordless handset:

To delete the displayed directory entry, press **MUTE/DELETE**. Press **MENU/SELECT** to confirm. You cannot retrieve a deleted entry.



## Using the telephone base:

To delete the displayed directory entry, press **X/DELETE**. Press **MENU/SELECT** to confirm. You cannot retrieve a deleted entry.

Robert Brown Delete contact?

# Dial, delete or edit directory entries

# Edit a directory entry

- 1. When a directory entry displays, press **MENU/SELECT**. The screen shows **EDIT NUMBER** along with the phone number to be edited. If you only want to edit the name, skip to Step 3.
- 2. To edit the number:
  - · Press the dialing keys to add digits.
  - Press ▼ciD or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to erase a digit.
  - <u>Press and hold</u> <u>MUTE/DELETE</u> on the handset or
     X/DELETE on the telephone base to erase all digits.
  - <u>Press and hold</u> **REDIAL/PAUSE** to add a three-second dialing pause (a **p** appears).
- 3. Press **MENU/SELECT** to move on to the name. The screen shows **EDIT NAME** along with the name to be edited.
- 4. To edit the name:
  - Press the dialing keys to add characters (page 60).
  - Press ▼CID or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to erase a character.
  - Press and hold MUTE/DELETE on your handset or X/DELETE on your telephone base to erase all characters.
  - Press a>A to change the next letter to upper or lower case.
- 5. Press **MENU/SELECT** to save the entry. There is a confirmation tone and the screen shows **Saved**.









# Speed dial

The telephone system has nine speed dial locations (2-9, 0) and a voicemail access location ■ 1 where you can store the telephone numbers you wish to dial more quickly. You can store up to 30 digits in each location. Speed dial assignments can only be selected from the existing directory entries. The voicemail access number must be manually entered. In the directory, speed dial locations are indicated by their number on the bottom right hand corner of the entry.



Speed dial location



Speed dial location

# Assign a speed dial number

- 1. When the telephone is idle, press MENU/SELECT.
- 2. Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- Press ▼ciD or ▲DIR to choose your desired speed dial location (0 or 2-9), then press MENU/SELECT. The screen briefly shows Copy from Directory... and then displays the directory list.
- Anexering sus XDirectory \$ 8
- 5. Press **▼CID** or **△DIR** to scroll to the phone number you wish to assign to the selected speed dial location.
- Press MENU/SELECT to save the setting and return to the previous menu. There is a confirmation tone and the screen returns to the speed dial list.





#### -OR-

- 1. When the telephone is idle, <u>press and hold</u> any dialing keys (**0** or **2-9**).
- Press ▼ciD or ▲DIR to choose your desired speed dial location (0 or 2-9), then press MENU/SELECT. The screen briefly shows Copy from Directory... and then displays the directory list.
- 3. Press **▼CID** or **△DIR** to scroll to the phone number you wish to assign to the selected speed dial location.
- 4. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone and the screen returns to the speed dial list.

# Speed dial

# Assign your voicemail speed dial number

To assign your voicemail speed dial number to location  $\mathbf{M}$  1, see page 18 or page 29. The voicemail speed dial entry does not show in the bottom right corner.

# Reassign a speed dial number

- 1. When the telephone is idle, press MENU/SELECT.
- 2. Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- Press ▼ciD or ▲DIR to choose the location you wish to reassign, then press MENU/SELECT to show the directory entry.
- 5. Press **MENU/SELECT** again.
- Scroll to Change SD and then press MENU/SELECT. The screen briefly shows Copy from Directory... and then displays the directory list.
- 7. Press **▼CID** or **△DIR** to scroll to the phone number you wish to reassign to the selected speed dial location.
- 8. Press **MENU/SELECT** to save the setting and return to the speed dial list. There is a confirmation tone.







### Speed dial

#### Delete a speed dial number

- 1. When the telephone is idle, press MENU/SELECT.
- 2. Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to scroll to the location you wish to delete the speed dial number from, then:
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to delete the displayed speed dial number. There is a confirmation tone and the screen shows Speed dial empty before returning to the speed dial list.

## Linda Miller 888-722-7702 🗐 3





#### -OR-

- i. Press MENU/SELECT to show the directory entry.
- ii. Press **MENU/SELECT** again.
- iii. Scroll to **Clear SD** and then press **MENU/SELECT** to delete the displayed speed dial number. There is a confirmation tone and the screen shows **Speed dial empty** before returning to the speed dial list.

#### Make a call using speed dial

When in idle mode, <u>press and hold</u> the dialing key (**0** or **2-9**) corresponding to the assigned location you wish to call.

#### -OR-

- 1. Press MENU/SELECT when in idle mode.
- 2. Press ▼CID or ▲DIR to scroll to Directory, then press MENU/SELECT.
- 3. Press **▼ciD** or **△DIR** to scroll to **Speed dial**, then press **MENU/SELECT**.
- 4. Press ▼CID or ▲DIR to scroll to the desired location (0 or 2-9) and then press \PHONE/FLASH or ♠)/SPEAKER on the handset, or ♠)/SPEAKER on the telephone base.

### Check your voicemail using speed dial

When in idle mode, <u>press and hold</u> **1** to dial the voicemail number you have set. See page 18 or page 29 to set your voicemail speed dial number.

#### About caller ID

This product supports caller ID services offered by most telephone service providers. Caller ID allows you to see the name, number, date and time of calls. The available caller ID information will appear after the first or second ring.

### Information about caller ID with call waiting

Caller ID with call waiting lets you see the name and telephone number of the caller before answering the call, even while on another call.

It may be necessary to change your telephone service to use this feature. Contact your telephone service provider if:

- You have both caller ID and call waiting, but as separate services (you may need to combine these services).
- You have only caller ID service, or only call waiting service.
- You don't subscribe to caller ID or call waiting services.

There are fees for caller ID services. In addition, services may not be available in all areas.

This product can provide information only if both you and the caller are in areas offering caller ID service and if both telephone service providers use compatible equipment. The time and date, along with the call information, are from the telephone service provider.

Caller ID information may not be available for every incoming call.
Callers may intentionally block their names and/or telephone numbers.
You can only view a maximum of 15 digits of every caller ID log entry. To view caller ID log entries with numbers between 16 and 24 digits, you must save the entry to the directory (see page 73).





**NOTE:** You can use this product with regular caller ID service, or you can use this product's other features without subscribing to caller ID or combined caller ID with call waiting service.



## Caller ID history

### How the caller ID history (caller ID log) works

The telephone stores caller ID information about the last 50 incoming calls in the telephone base. Entries are stored in reverse chronological order. The phone deletes the oldest entry when the log is full to make room for new calls. This information is common to the telephone base and all handsets, so changes made using any handset or the telephone base are reflected in all other devices. If you answer a call before the information appears on the screen, it does not show in the caller ID history.



**NOTE:** Each entry may have up to 24 digits for the phone number and 15 characters for the name

#### Missed (new) call indicator

When a handset or the telephone base is in idle mode and has new or missed calls, its screen shows **XX Missed calls**.

All new and missed entries are counted as missed calls. Each time you review a new caller ID log entry (indicated by **NEW** on the screen), the number of missed calls decreases by one.

If you do not want to review the missed calls one by one, but still want to keep them in the caller ID history, you can press and hold for CANCEL on the handset for four seconds when the handset is idle, or press and hold CANCEL on the telephone base for four seconds when the telephone base is idle. You will hear a confirmation tone. All the entries in the caller ID history become old (reviewed already), and the missed calls message goes away.









#### **Memory match**

If the incoming telephone number matches the last seven digits of a telephone number in your directory, the name that appears on the screen matches the corresponding name in your directory.

For example, if Christine Smith calls, her name appears as **Chris** if this is how you entered it into your directory.



**NOTE:** The number shown in the caller ID log will be in the format sent by the telephone service provider. The telephone service provider usually delivers ten-digit phone numbers (area code plus telephone number). If the telephone number of the caller does not match a number in your directory, the name will appear as it is delivered by the telephone service provider.





#### Review the caller ID history

Review the caller ID history to find out who called, to return the call, or to copy the caller's name and number into your directory. **Caller ID log empty** appears if there are no records in the caller ID log.

 When the handset or the telephone base is in idle mode, press ▼CID to review the caller ID history in reverse chronological order starting with the most recent call.


-OR-

Review the caller ID history by pressing **MENU/SELECT**. Press **VCID** or **ADIR** to scroll to **Caller ID log**, then press **MENU/SELECT** twice to select **Review**.

- 2. Press **▼CID** or **△DIR** to scroll through the list.
- 3. Press **FOFF/CANCEL** on the handset or **CANCEL** on the telephone base to exit the caller ID history.

You hear a double beep when the list reaches the beginning or end of the caller ID log.

NOTE: Only one handset or the telephone base can review the caller ID history at a time. If another device tries to enter the directory or caller ID history, it shows Not available at this time.


















#### View dialing options

Although the incoming caller ID log entries have ten digits (the area code plus the seven-digit number), in some areas, you may need to dial only the 7 digits, 1 plus the seven digits, or 1 plus the area code plus the seven digits. You can change and store the number of digits that you dial in the caller ID log.

While reviewing the caller ID log, press # (pound key) repeatedly to show different dialing options for local and long distance numbers before dialing or saving the telephone number in the directory.

Press **1** repeatedly if you need to add or remove 1 in front of the telephone number before dialing or saving it in the directory.

When the number is in the correct format for dialing, press **\PHONE**/FLASH or **\®**)/SPEAKER on the handset, or **\®**)/SPEAKER on the telephone base to call the number.



To save the number to the directory, see **Save a caller ID log entry to the directory** on the next page.

#### Dial a caller ID log entry

- 1. When in the caller ID log, press  $\nabla$ ciD or  $\triangle$ DIR to browse.
- 2. Press \PHONE/FLASH or ♥ SPEAKER on the handset, or ♥ SPEAKER on the telephone base to dial the displayed entry.

### **Delete caller ID log entries**

### To delete an entry:

• Press MUTE/DELETE on the handset or X/DELETE on the telephone base to delete the shown entry.

#### To delete all entries:

- 1. Press MENU/SELECT when in idle mode.
- 2. Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- Press ▼ciD or ▲DIR to scroll to Del all calls, then press MENU/SELECT.
- 4. When the screen shows **Delete all calls?**, press **MENU/SELECT** to confirm. There is a confirmation tone and the screen returns to the previous menu.





#### Save a caller ID log entry to the directory

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. Press MENU/SELECT to select an entry.
- 3. When the screen displays **EDIT NUMBER**, use the dialing keys to edit the number.
  - Press ▼ciD or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to backspace and erase a digit.
  - <u>Press and hold</u> **MUTE/DELETE** on the handset or **X/DELETE** on the telephone base to erase the entire entry.
  - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).
- 4. Press MENU/SELECT to move to the name.
- 5. When the screen displays **EDIT NAME**, use the dialing keys (page 60) to edit the name.
  - Press ▼ciD or ▲DIR to move the cursor to the left or right.
  - Press MUTE/DELETE on the handset or X/DELETE on the telephone base to erase a character.
  - <u>Press and hold</u> **MUTE/DELETE** on the handset or **X/DELETE** on the telephone base to erase all characters.
  - Press # (pound key) to move the last word to the front. For example,
    Johnson Charlie becomes Charlie Johnson when you press
    # (pound key).
- 6. Press MENU/SELECT when done. The screen shows Saved.



- You may need to change how a caller ID number is dialed if the entry does not appear in the
  correct format. Caller ID numbers may appear with an area code that is not necessary for local
  calls, or without a 1 that is necessary for long distance calls (see View dialing options on
  page 72).
- If the caller's name you received from the telephone service provider is all in capital letters, the first letter of every word remains a capital letter, while other letters become lower case. However, the next letter after the prefix "Mac", "Mc", "D"", "C"" or "O"", is kept as a capital letter. For example, the "D" in "MacDonald" is kept as a capital letter. Another exception is that "VAN DER" will be changed to "Van der".
- If the telephone number from the caller ID information has already been saved in the directory under a different name, the new name will overwrite the old one.

#### Caller ID

## Reasons for missing caller ID information

There are occasions when other information or no information shows for various reasons:

On-screen message	Reason
PRIVATE NUMBER	The caller prefers not to show the phone number.
PRIVATE HAME	The caller prefers not to show the name.
PRIVATE CALLER	The caller prefers not to show the phone number and name.
UNKNOWN NUMBER	Your telephone service provider cannot determine the caller's number.
UNKNOWN NAME	Your telephone service provider cannot determine the caller's name.
UNKNOWN CALLER	Your telephone service provider cannot determine the caller's name and telephone number.
	Calls from other countries may also generate this message.

Use the answering system menu of a system handset or the telephone base to set up the announcement message, turn on or off the answering system or message alert tone, activate call screening, or change the number of rings, remote access code or message recording time. If you turn



off the answering system and you change any setting in the answering system setup menu, the answering machine automatically turns on again.

- 1. When the device is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.

#### **Announcement**

Your outgoing announcement plays when calls are answered by the answering system.

The telephone has a default outgoing announcement, "Hello. Please leave a message after the tone." You can use this announcement, or record your own.

You can record an announcement up to 90 seconds. The system does not record any announcement shorter than two seconds.

## To play your current outgoing announcement:

### Using a cordless handset:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press ▼CID or ▲DIR to scroll to Play annc, then press MENU/SELECT.

### Using the telephone base:

- When the telephone base is in idle mode, press MENU/SELECT to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press MENU/SELECT to select Play annc.









#### To record a new outgoing announcement:

#### Using a cordless handset:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press **▼CID** or **▲DIR** to scroll to **Answering sys**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press MENU/SELECT to select Record annc. The system announces, "Record after the tone. Press 5 when you are done."



Speak towards the handset to record your announcement.
 Press 5 to end recording. Your recorded announcement plays.

To listen to the recorded announcement again, scroll to **Play annc** and press **MENU/SELECT**.

#### Using the telephone base:

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼ciD or ▲DIR to scroll to Answering sys, then press MENU/SELECT.



- 3. Press MENU/SELECT again to select Announcement.
- 4. Scroll to **Record annc** and press **MENU/SELECT**. The system announces, "Record after the tone. Press **5** when you are done."
- 5. Speak towards the telephone base to record your announcement. Press **5** to end recording. Your recorded announcement plays.

To listen to the recorded announcement again, scroll to **Play annc** and press **MENU/SELECT**.

#### -OR-

- When the telephone base is in idle mode, press
   •/RECORD.
- 2. Press ▼ciD or ▲DIR to scroll to Announcement and press MENU/SELECT. The system announces, "Record after the tone. Press 5 when you are done."
- Speak towards the telephone base to record your announcement. Press 5 to end recording. Your recorded announcement plays.





#### To delete or reset your outgoing announcement:

### Using a cordless handset:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press ▼CID or ▲DIR to scroll to Play annc, then press MENU/SELECT.
- 5. While the announcement is playing, press **MUTE/DELETE** to delete the announcement. The system announces "Announcement deleted".

#### -OR-

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press ▼ciD or ▲DIR to scroll to Reset annc, then press MENU/SELECT. The screen shows Reset to default annc?
- Press MENU/SELECT again to confirm. The screen shows Annc. reset to default.

#### Using the telephone base:

- When the telephone base is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- Press MENU/SELECT again to select Play annc and play the announcement.
- 5. While the announcement is playing, press **X/DELETE** to delete the announcement. The system announces "Announcement deleted".

When your announcement is deleted, the system answers calls with the default announcement described on page 75. You cannot delete the default announcement.

#### Answer on/off

Unless you change it, the answering system is on and ready to record messages. You can turn the answering system off, but if you do so, the answering system does not answer calls and record incoming messages.

#### To turn the answering system on or off:

#### Using a cordless handset:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Answer ON/OFF, then press MENU/SELECT.
- Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save the setting. You hear a confirmation tone.


When the answering system is on, the handset shows **ANS ON**.

#### Using the telephone base:

• Press **b/ANS ON/OFF** to turn the answering system on or off. If the answering system is turned on, it announces, "Calls will be answered." If the answering system is turned off, it announces, "Calls will not be answered."



- When the telephone base is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Answer ON/OFF, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to highlight **On** or **Off**, then press **MENU/SELECT** to save the setting. You hear a confirmation tone.











#### **Call screening**

Use this feature to choose whether incoming messages can be heard over the speaker when they are being recorded. If you turn call screening on, you hear the incoming message. While monitoring an incoming message, you can answer the call by pressing **\PHONE/FLASH** or **■**)/SPEAKER on the handset, or **■**)/SPEAKER on the telephone base.

### To change the setting:

### Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press MENU/SELECT to select Call screening.
- 5. Press **▼CID** or **△DIR** to choose **On** or **Off**.
- Press MENU/SELECT to save the setting. You hear a confirmation tone.















#### **Number of rings**

You can set the answering system to answer an incoming call after two, three, four, five or six rings. You can also select toll saver. If toll saver is selected, the answering system answers a call after two rings when you have new messages, and after four rings when there are no new messages. This feature allows you to check for new messages and avoid paying long distance charges when calling from out of your local area. By default, the answering system answers an incoming call after four rings.

#### To set the number of rings:

#### Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼ciD or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to # of rings, then press MENU/SELECT.
- 5. Press **▼CID** or **△DIR** to choose among **2**, **3**, **4**, **5**, **6** or **Toll saver**.
- 6. Press **MENU/SELECT** to save the setting. You hear a confirmation tone.



- If you subscribe to voicemail service through your telephone service provider, see Answering system and voicemail indicators on page 84.
- If you set the number of rings for the answering system as two or three rings, the caller ID announce feature may not have enough time to announce the caller's full information.









#### Remote access code

To access your answering system remotely from any touch-tone phone, you need to enter a two-digit number (00-99). By default, the remote access code is **19**.

#### To change the remote access code:

### Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to scroll to **Remote code**, then press **MENU/SELECT**.
- 5. Use the dialing keys to enter a two-digit number. Press MUTE/DELETE on the handset or X/DELETE on the telephone base to backspace and delete a digit.
- Press MENU/SELECT to save the setting. You hear a confirmation tone.











REMOTE CODE 19

#### Message alert tone

When the message alert tone is set to **On**, and there is at least one new message, the telephone base beeps every ten seconds. By default, the message alert tone is set to off.

There is no audible alert at the handset.

#### To change the setting:

#### Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to scroll to Msg alert tone, then press MENU/SELECT.
- Press ▼CID or ▲DIR to choose On or Off.
- Press MENU/SELECT to save the setting. You hear a confirmation tone.



- The message alert tone beeps only if all the conditions below are met:
  - Answering system is on.
  - Message alert tone setting is on.
  - There are new messages.
- To temporarily turn off the message alert tone, see page 87.









#### Message recording time

You can set the recording time allowed for incoming messages. The message length is three minutes by default.

#### To change the setting:

#### Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press **▼CID** or **▲DIR** to scroll to **Recording time**, then press **MENU/SELECT**.
- Press ▼CID or ▲DIR to choose 3 minutes, 2 minutes or 1 minute, then press MENU/SELECT to save the setting. You hear a confirmation tone.









#### Answering system and voicemail indicators

Your telephone has separate indicators for two different types of voice messages: those left on its built-in digital answering system and those left at your telephone service provider's voicemail (fees may apply). Your telephone's built-in digital answering system messages and voicemail messages are separate. Each alerts you to new messages differently.

 If QQ and XX New messages show on the handset and the telephone base, there are new messages in the built-in answering system. To listen to messages recorded on your digital answering system, press ►/■/PLAY/STOP on the telephone base (page 88).



 If and New voicemail display on the handset and the telephone base, your telephone service provider is indicating that it has new voicemail for you. To listen to your voicemail, dial an access number provided by your telephone service provider, followed by a security code or PIN.



Some telephone service providers bundle or combine multiple services like voicemail and call waiting, so you may not be aware that you have voicemail.

To check what services you have and how to access them, contact your telephone service provider.

To use your voicemail service rather than the answering system, turn off the answering system. To use the answering system rather than your voicemail service, contact your telephone service provider to deactivate your voicemail service.



**NOTE:** After reviewing all new messages, the number of old messages appears on the message counter.

### Using the answering machine and voicemail together

You can also use your telephone answering system and voicemail together by setting your built-in answering system to answer before voicemail answers, as described below. To learn how to program your voicemail settings, contact your telephone service provider. If you are on a call, or the answering system is busy recording a message and you receive another call, the second caller can leave a voicemail message.

Set your answering system to answer calls at least two rings earlier than your voicemail is set to answer. For example, if your voicemail answers after six rings, set your answering system to answer after four rings. Some voicemail providers may program the delay before answering calls in seconds instead of rings. In this case, allow six seconds per ring when determining the appropriate setting.

#### Message capacity

The answering system can record up to 99 messages, depending on the length of each message. Individual messages can be up to three minutes, and the maximum recording time is approximately 11 minutes. The actual recording time depends on individual message characteristics. Messages remain available for replay until you delete them.

When there are new messages (including memos) on the answering system, the number of messages stored shows in the message counter.

If the answering system has less than three minutes of recording time left, it announces, "Less than three minutes to record," before message playback at the handset or the telephone base. **Rec mem low** displays on the device screen in idle mode. When you turn on the answering system at the telephone base, it announces, "Calls will be answered. Less than three minutes to record."

If the memory is full, the answering system announces, "Memory is full," before message playback. The device screen displays **Rec mem full** in idle mode. Once the memory is full, you cannot turn the answering system back on if it has been turned off, nor can you record new messages until old ones have been deleted. **Memory full** displays if you want to turn on the answering system on the handset but there is no memory.

#### Voice prompts

The system provides voice prompts to guide you through the setup procedures at the telephone base, message playback, remote access and recording outgoing announcements.

#### Call screening

#### To screen a call at the telephone base:

If the answering system and call screening are on (see **Call screening** on page 79), the announcement and the incoming message broadcast at the telephone base when a call is answered by the answering system.

Options while a message is being recorded:

- Press ▼/VOLUME/▲ on the telephone base to adjust the call screening volume.
- Press ►/■/PLAY/STOP or CANCEL to temporarily silence the call screening.
- Press >/=/PLAY/STOP to temporarily turn on the call screening if call screening is set to off.
- Press ♠ /SPEAKER to answer the call.

#### To screen a call at the handset:

If the answering system is on, you can hear the announcement and the incoming message with the handset when a call is answered by the answering system. While a message is being recorded, the handset shows

To screen call, press [SELECT]. Press MENU/SELECT to screen the call.

Options while a message is being recorded:

- Press ▼ciD/VOLUME or ▲DIR/VOLUME on the handset to adjust the call screening volume.
- Press FOFF/CANCEL to temporarily silence the call screening.
- Press MENU/SELECT to temporarily turn on the call screening if call screening is set to off.
- Press ◆୬/SPEAKER to broadcast the announcement and the incoming message through the speakerphone. Press again to turn off the speakerphone.

#### **Call intercept**

While screening a call, you can stop recording and speak to the caller by pressing **PHONE/FLASH** on the handset or **I)/SPEAKER** on the telephone base.

#### **Base ringer**

Press  $\nabla$ /VOLUME/ $\triangle$  on the telephone base to adjust the ringer volume when the telephone is not in use.

You hear a sample of the ringer while adjusting the volume. The telephone base shows **Ringer off**  $\mathfrak{A}$  when you set the volume to **0**.

#### Temporarily turning off the message alert tone

If the message alert tone is turned on, the telephone base beeps every ten seconds when there are new messages. Pressing any telephone base key (except **%/HANDSET LOCATOR**) temporarily silences the message alert tone.

If you press **X/DELETE** when in idle mode to temporarily turn off the message alert tone, there is a voice prompt directing you to press **X/DELETE** again to delete all old messages. The message alert tone is temporarily off. Only press **X/DELETE** a second time if you wish to erase all old messages in your answering system.

The message alert tone resumes when you receive another message.

If you have new messages, you hear only the new messages in chronological order. If there are no new messages, the system plays back all the messages (in chronological order). If there are both new and old messages, you have the option of playing the new or old messages.

When playback begins, the total number of messages is announced. Before each message, you hear the day and time of the recording. If the date and time are not set, you hear, "Time and date not set," before playback. After the last message, you hear, "End of messages." If the recording time is less than three minutes, you hear, "Less than three minutes to record" before playback (see Message capacity on page 85).

To listen to messages at the telephone base:

Press ►/■/PLAY/stop on the telephone base to listen to the messages.

- If there are new and old messages, press ▼ciD
  or ▲DIR to select Play new msgs or
  Play old msgs, then press MENU/SELECT or
  ▶/■/PLAY/STOP.
- If there are only new or only old messages, they will play automatically.

#### -OR-

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press MENU/SELECT again to select Play messages.

  - If there are only new or only old messages, they will play automatically.

The system announces the number of messages, then begins playback. The message sequence is shown on the telephone base. If there are no recorded messages, the telephone base shows **No messages** and you hear, "You have no message."







MBU MSG #1/3 Charlie Johnson 10/15™ 10:01<sup>AM</sup>

#### To listen to messages on a cordless handset:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press MENU/SELECT again to select Play messages.
  - If there are new and old messages, press ▼ciD or ▲DIR
    to select Play new msgs or Play old msgs, then press
    MENU/SELECT.
  - If there are only new or only old messages, they play automatically.

The system announces the number of messages, then begins playback. The message sequence is shown on the handset. If there are no recorded messages, the handset shows **No messages** and you hear, "You have no message."







#### **Options during playback**


When a message is playing, you can adjust the playback volume, skip, repeat, pause or delete the message.

#### When messages are playing on the telephone base:

- Press ▼/VOLUME/▲ to adjust the message playback volume.
- Press ►/SKIP to skip to the next message.
- Press «/REPEAT to repeat the message. Press twice to hear the previous message.
- Press X/DELETE to delete the message.
- Press ►/■/PLAY/STOP to stop the playback.
- Press SPEAKER to stop playback. The screen shows Call back?, then
  press MENU/SELECT, or SPEAKER to call back the caller if the caller's
  number is available. If the dialing format used is not correct, then use the
  following option to choose the correct dialing format before calling back
  the caller.
- Press MENU/SELECT to pause playback and show the caller ID information
  if available. From here, you can press CANCEL to resume playback,
  or press # (pound key) repeatedly to show the desired dialing option
  (page 72), then press ♥)/SPEAKER to call back the caller. If you do not
  call back within ten seconds, message playback resumes automatically.

### When messages are playing on the handset:

- Press ▼ciD/VOLUME or ▲DIR/VOLUME to adjust the message playback volume.
- Press EQ III to adjust the message playback audio quality.
- Press 6 to skip to the next message.
- Press 4 to repeat the message. Press twice to hear the previous message.
- Press MUTE/DELETE to delete the message.
- Press 5 or **foff/CANCEL** to stop the playback.
- Press SPEAKER to switch between speakerphone mode and handset mode.
- Press \PHONE/FLASH to stop playback. The screen shows Call back?, then press MENU/SELECT, \PHONE/FLASH, or ♠)/SPEAKER to call back the caller if the caller's number is available. If the dialing format used is not correct, then use the following option to choose the correct dialing format before calling back the caller.
- Press MENU/SELECT to pause playback and show the caller ID information
  if available. From here, you can press forf/CANCEL to resume playback,
  or press f (pound key) repeatedly to show the desired dialing option
  (page 72), then press PHONE/FLASH to call back the caller. If you do not
  call back within ten seconds, message playback resumes automatically.



### Delete all old messages

You can only delete old (reviewed) messages. You cannot delete new messages until you review them. You cannot retrieve deleted messages.

### To delete all old messages on the telephone base:

- 1. When the telephone is idle, press **X/DELETE**. The system announces, "To delete all old messages, press **DELETE** again."
- 2. Press X/DELETE again. The system announces, "All old messages deleted."

#### -OR-

- Press MENU/select when in idle mode to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Delete all old, then press MENU/SELECT. The screen shows Delete all old messages?
- Press MENU/SELECT again to confirm. The screen displays Deleting... and then All old msgs deleted! There is a confirmation tone.

### To delete all old messages on the handset:

- Press MENU/SELECT when in idle mode to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼ciD or ▲DIR to highlight Delete all old, then press MENU/SELECT. The screen shows Delete all old messages?
- Press MENU/SELECT again to confirm. The screen displays Deleting... and then All old msgs deleted! There is a confirmation tone.



Delete all old messa9es?

Deleting...



Delete all old messages?

Deleting...

Ê

### Recording and playing memos

Memos are your own recorded messages used as reminders for yourself or others using the same answering system. You can record your own memos using a system handset or the telephone base. Play and delete them in the same way as incoming messages.

#### Record a memo

#### Using a cordless handset:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼ciD or ▲DIR to highlight Record memo, then press MENU/SELECT. The system announces, "Record after the tone. Press 5 when you are done." You can record a memo for up to four minutes.
- 4. Speak towards the handset to record a memo.
- 5. Press **5** to stop recording. The system announces, "Recorded." The system does not save memos shorter than two seconds.





### Recording and playing memos

#### Using the telephone base:

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼ciD or ▲DIR to highlight Record memo, then press MENU/SELECT. The system announces, "Record after the tone. Press 5 when you are done." You can record a memo for up to four minutes.



- 4. Speak towards the telephone base to record a memo.
- Press 5 to stop recording. The system announces, "Recorded." The system does not save memos shorter than two seconds.
  - -OR-
- When the telephone base is in idle mode, press
   •/RECORD.
- Press •/RECORD again or press MENU/SELECT to select Record memo. The system announces, "Record after the tone. Press 5 when you are done."
  - >Record memo Announcement
- 3. Speak towards the telephone base to record a memo.
- 4. Press **5** to end recording. The system announces, "Recorded." The system does not save memos shorter than two seconds.

#### Play back a memo

Play memos the same way as messages. See Message playback on page 88.

### Base message counter displays

The base message counter shows the total number of answering system messages. See the following table for other message counter displays.

### Message counter displays

0	No messages.
1-99	Total number of messages and memos.
	The system is answering a call, or someone is trying to reach it remotely.  The system is in program mode.

#### Remote access

You can reach your answering system remotely by dialing your home telephone number from any touch-tone telephone.

#### To remotely reach your answering system:

- 1. Dial your telephone number from any touch-tone telephone.
- 2. When the system answers, enter the two-digit remote access code (19 is the default code. See page 81 to change it).
  - The system automatically announces the number of new or old messages (if any), and then begins to play them.
- 3. You can also enter the following remote commands:

#### Remote commands

1	Press to listen to all messages.
2	Press to listen to new messages only.
3	Press to delete the current message (during playback).
33	Press twice to delete all old messages.
4	Press to repeat the current message (during playback).
5	Press to stop any operation (including recording).
*5	Press to listen to a list of remote commands.
6	Press to skip to the next message (during playback).
*7	Press to record a new announcement.
8	Press to end remote access (the call will be terminated).
0	Press to turn the answering system on or off.

4. Hang up or press 8 to end the calls.

#### Remote access

Cut out and carry the remote access wallet card at the back of this user's manual for quick reference.



- If you do not enter a valid remote access code, the system answers the call automatically.
- If you pause for more than four seconds during remote access, you hear a help menu listing all
  features and commands. If there is no command for another 20 seconds, the call ends
  automatically.
- If the memory is full, the answering system answers after ten rings and announces, "Memory is full. Enter the remote access code." Enter your remote access code to access the messages and announcements.

## Adding and registering handsets/headsets

Your telephone can support up to 12 DECT 6.0 cordless handsets (AT&T model CL80143/CL80173/CL80183/CL80193, sold separately) or up to ten cordless handsets and two cordless headsets (sold separately). Visit **www.telephones.att.com/headsets** for a list of compatible DECT 6.0 cordless headsets. Each new handset or headset must be registered to the telephone base before use. You must register each handset or headset separately.

To register a cordless headset to this telephone system, please refer to the user's manual of the cordless headset for more details. To register a cordless handset, see below.

The handsets provided within your product box are already registered as **HANDSET 1**, and so forth. Additional handsets are assigned numbers in the sequential order they are registered (up to **HANDSET 12**).

#### Register a handset to the telephone base

- 1. Before you begin registration, make sure the handset is out of the telephone base or charger and shows **To register HS**, see manual.
- 2. Put the handset you wish to register on the telephone base cradle
- 3. Both the handset and the telephone base show Registering... Please wait and the IN USE light on the telephone base turns on. HANDSET X Registered appears on both the handset and the telephone base screens (HANDSET represents the handset name, X represents the handset number). Both the handset and the telephone base beep and the IN USE light turns off. The handset is now registered with the telephone base.



## Adding and registering handsets/headsets

If registration fails, the system will automatically try to register again. If registration fails after the third try, **Registration failed** appears on both screens. The handset shows **To register HS, see manual** and the telephone base returns to idle mode. This may take up to five minutes to occur. Please start again from Step 1.



For registration, put the handset on the telephone base, not the handset charger.



- You cannot register a handset if any other system handset is in use.
- If you try to register more than 12 handsets to the telephone base, the telephone base shows Registration slots are full and sounds two beeps.

### Deregistering handsets

You may need to deregister your handsets if:

You have 12 registered handsets and need to replace a handset.

#### -OR-

 You wish to change the designated handset number of your registered handsets.

You must first deregister ALL handsets, and then register each handset you wish to use again, one at a time.

Please read carefully through all the instructions on this page before beginning the deregistration process.

#### Deregister all handsets from the telephone base

- 1. Make sure that all handsets are out of the telephone base and chargers before you begin deregistration.
- Press and hold HANDSET LOCATOR on the telephone base for about ten seconds (until the IN USE light starts to flash). The telephone base screen shows Registering... Please wait for five seconds, then it shows Deregister all devices? Release HANDSET LOCATOR.
- 3. Immediately press //HANDSET LOCATOR while the IN USE light is still flashing. (If the light stops flashing, start again with Step 1.)
- 4. It takes up to ten seconds to complete the deregistration process. Before registering the handset again, wait for the cordless handset screen to display To register HS, see manual.
- 5. To register the handset(s) to the telephone base again, follow the registration instructions on the previous page.



- If the deregistration process fails, you may need to reset the system and try again. To reset, unplug the power from the telephone base and plug it back in.
- · You cannot deregister the handsets if any other system handset is in use.
- Even if the battery is depleted, you can still deregister the handsets by following the steps
  mentioned above. After the handset is charged for at least ten minutes, the screen shows
  To register HS, see manual.
- If in Step 2 you already have 12 registered handsets, the telephone base shows Registration slots are full and sounds two beeps. Continue holding HANDSET LOCATOR until Deregister all devices? displays.

# Alert tones and lights

### Handset screen icons

	Battery status - battery is charging (animated display).
	<b>Battery status</b> - low battery (flashing); place the handset in telephone base or charger to recharge.
<b>■</b> 3)	Speakerphone - the speakerphone is in use.
$\mathcal{D}$	Ringer off - the handset ringer is off.
<b>V</b> M	New voicemail - you have new voicemail from your telephone service provider.
ANS ON	<b>Answering system on</b> - the answering system is turned on to answer calls.
ထ	Message - new message in the built-in answering system.
NEW	New caller ID log - new and missed calls.
MUTE	MUTE - the handset microphone is off.
1/2	Message counter - number of message playing/total number of messages.



### Telephone base screen icons

$\mathcal{D}$	Ringer off - the telephone base ringer is off.
V M	<b>New voicemail</b> - you have new voicemail from your telephone service provider.
NEW	New caller ID log - new and missed calls.
MSG #	Message counter - total number of messages.



# Alert tones and lights

### Handset alert tones


One short beep	Tone of each key press, if key tone is turned on.
One long beep	Indication to begin recording a message, memo or announcement.
Two short beeps	You are pressing ▼CID or ▲DIR on a cordless handset when the volume is already at its highest or lowest setting.  -OR- Call waiting toneOR- Error tone.
Confirmation tone (three rising tones)	The system has completed the command successfully.
Four beeps	The other party has ended your intercom call.  -OR- The bandest has gone out of range from the base during a call.
Four short beeps	The handset has gone out of range from the base during a call.  Low battery warning.
Logi short neebs	Low battery warning.

### **Telephone base alert tones**

One short beep	Tone of each key press, if key tone is turned on.
One long beep	Indication to begin recording a message, memo or announcement.
	Indicates the start of message recording during call screening or the end of a message playback session.
Two short beeps	You are pressing ▼/VOLUME/▲ on the telephone base when the volume is already at its highest or lowest setting.
	-OR-
	Call waiting tone.
	-OR-
	Error tone.
	-OR-
	Registration slots are full.
Confirmation tone (three rising tones)	The system has completed the command successfully.
Four beeps	The other party has ended your intercom call.
Four short beeps	Registration failure tone.
Beeps every ten seconds	Message alert.

## Alert tones and lights

#### Lights



102

●)/SPEAKER
On when the speakerphone is on.

# Appendix Screen display messages

# Screen messages

BESE 0	The telephone base is calling.
is calling	
Call	You have transferred an outside call to another device.
transferred	
Caller ID lo9	There are no entries in the caller ID history.
eneta	
Calling BASE 0	The handset is calling the telephone base (for intercom calls).
Calling HANDSET X	The handset or telephone base is calling another handset (for intercom calls).
	The telephone base is transferring an outside call to a handset.
Call answered	The answering system has answered an incoming call.
Contact deleted	A directory entry is deleted.
Directory empty	There are no directory entries.
Directory full	The directory is full. You cannot save any new entries unless you delete some current entries.
Ended	You have just ended a call.
HANDSET X is calling	Another system handset is calling.
Incomin9 call	There is a call coming in.
Intercom	The device is on an intercom call.
Intercom ended	The intercom call has just ended.
INTERCOM TO:	You have started the intercom process, and need to enter the number of the device you wish to call.
Line in use	An extension phone, or one of the devices is in use.
Low batters	The battery is low. You should charge the battery.
Microphone ON	Mute is off so the other party can hear your voice.
Muted	The microphone is off. The other party cannot hear you.
New voicemail	There are new voicemail messages from your telephone service provider.
No battery	The handset in the charger has no battery installed.
No line	There is no telephone line connection.

# Screen display messages

# **Screen messages**

No answer. Try again	The device(s) you are trying to transfer a call to is out of range, off hook, or has no power.	
No caller info	The caller information is unavailable.	
Number already saved	The telephone number you have entered is already in the directory.	
Not available at this time	Someone else is already using the directory or caller ID history.	
No Incomin9 PTT	The incoming PTT function is turned off. The handset will not receive PTT calls.	
Out of range OR No pwr at base	The telephone base has lost power, or the handset is out of range.	
** Paging **	The cordless handset is paged by the telephone base.	
Paging all handsets	The telephone base is paging all cordless handsets.	
Phone	The handset is on a call.	
Place in charger	The battery is very low. The handset should be charged.	
Quiet mode on	QUIET mode is on.	
Quiet mode is off	QUIET mode is turned off.	
Rec mem full	The system recording time is full.	
Rec mem low	The system recording time is low.	
Recordin9 messa9e	The telephone is recording a message.	
Registering Please wait	The handset is registering to the telephone base.	
Registeration slots are full	The telephone base has the maximum of 12 handsets registered to it.	
Registration failed	The handset registration is not successful.	
Ringer off	The ringer is turned off.	
Ringer muted	The ringer is off temporarily while the device is ringing.	
Saved	An entry has been successfully saved in the directory.	
Seeker	The handset or telephone base speakerphone is in use.	
TRANSFER TO:	You have started transferring a call, and need to enter the desired device number or choose all devices.	

# Screen display messages

# **Screen messages**

To register HS, see manual.	Screen display before handset registration.
To screen call, press [SBLBCT]	Press MENU/SELECT to activate call screening.
Unable to call. Line in use	Failed phone call (the telephone line is in use).
Unable to call. Try again	You try to join a call when there are already four handsets on that call.  You try to make an outside call when another device is transferring a call with the intercom feature.
XX Missed calls	There are new calls in the caller ID history.
XX New messages	There are new messages in the answering system.

If you have difficulty with your phone please try the following suggestions. For Customer Service, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

### My telephone doesn't work at all.

- Make sure the power cord is securely plugged in.
- Make sure you plug the battery connector securely into the cordless handset.
- Make sure you plug the telephone line cord securely and firmly into the telephone base and the telephone wall jack.
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it may take approximately 30 minutes to charge the handset before it shows **Low battery**. See page 9 for details.
- Reset the telephone base. Unplug the electrical power. Wait for approximately 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- You may need to purchase a new battery. Please refer to Battery installation and charging in this user's manual on pages 9-10.

# The display shows No line. I cannot get a dial tone.

- Try all the suggestions, as mentioned above.
- If the previous suggestions do not work, disconnect the telephone line cord from your telephone and connect the telephone line cord to another telephone.
  - If there is no dial tone on that other telephone either, your telephone line cord may be defective. Install a new telephone line cord.
  - If changing the telephone line cord does not help, the wall jack (or the wiring to this wall jack) may be defective. Try using a different wall jack in your home to connect your CL83143 telephone, or contact your telephone service provider (charges may apply).

#### I cannot dial out.

- Try all the suggestions, as mentioned above.
- Make sure you have a dial tone before dialing. The cordless handset may take a second or two to find the telephone base and produce a dial tone. This is normal. Wait an extra second before dialing.
- Eliminate any background noise. Noise from a television, radio or other appliances may cause the phone to not dial out properly. If you cannot eliminate the background noise, first try muting the cordless handset before dialing, or dialing from another room with less background noise.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

## My cordless handset isn't performing normally.

- Make sure you plug the power cord securely into the telephone base. Plug the power adapter into a different working electrical outlet without a wall switch.
- Move the cordless handset closer to the telephone base. You may have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.

# Out of range OR No pwr at base appears on my cordless handset.

- Ensure you plug the telephone base in properly and the power is on.
- Place the cordless handset in the telephone base for one minute to allow the cordless handset and base to synchronize.
- Move the cordless handset closer to the telephone base. You may have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.

### The batteries do not hold a charge.

- If the cordless handset is in the telephone base or charger and the charge light is not on, refer to **The charge light is off or blinking** (page 110).
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it may take approximately 30 minutes to charge the handset before it shows Low battery. Refer to the table on page 9 for details.
- You may need to purchase a new battery. Please refer to Battery installation and charging in this user's manual on pages 9-10.

### I get noise, static, or weak signals even when I'm near the telephone base.

- If you subscribe to high-speed Internet service (DSL digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (page 8). The filter prevents noise and caller ID problems as a result of DSL interference. Please contact your DSL service provider for more information about DSL filters.
- You may be able to improve the performance of your cordless phone
  by installing your new telephone base as far as possible from any other
  existing cordless telephone system that may already be installed.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.
- Do not install this phone near a microwave oven or on the same electrical outlet. You may experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or a surge protector, plug the phone (or modem/surge protector) into a different location. If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Move your phone to a higher location. The phone may have better reception in a high area.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

### I experience poor sound quality when using the handset speakerphone.

• For increased sound quality while using the handset speakerphone, place the handset on a flat surface with the dial pad facing up.

### I hear other calls while using my phone.

 Disconnect the telephone base from the telephone jack, and plug in a different telephone. If you still hear other calls, call your telephone service provider.

# My cordless handset does not ring when I receive a call.

- Make sure that the ringer is not off. Refer to Ringer volume on page 14 in this user's manual.
- Make sure you plug in the telephone line cord securely into the telephone base and the telephone jack. Make sure you plug in the power cord securely.
- The cordless handset may be too far from the telephone base.
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- You may have too many extension phones on your telephone line to allow all of them to ring simultaneously. Try unplugging some of the other phones.
- The layout of your home or office may be limiting the operating range. Try
  moving the telephone base to another location, preferably to a
  higher location.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).
- Test a working phone at the phone jack. If another phone has the same problem, contact your telephone service provider (charges may apply).
- Other electronic products can cause interference with your cordless phone. Try installing your phone as far away as possible from electronic devices such as television sets, VCRs, or other cordless telephones.
- Remove the battery. Install the battery again and place the cordless handset into the telephone base. Wait for the cordless handset to reestablish its connection with the telephone base. Allow up to one minute for this to take place.
- Your line cord may be defective. Try installing a new line cord.

## My calls cut in and out while I'm using my cordless handset.

- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.
- Do not install this phone near a microwave oven or on the same electrical outlet. You may experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or surge protector, plug the phone (or modem/surge protector) into a different location. If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Move your telephone base to a higher location. The phone may have better reception when installed in a high area.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

### The charge light is off or blinking.

- Make sure you plug the power and line cords in correctly and securely.
- Unplug the electrical power. Wait for 15 seconds, then plug it back in.
   Allow up to one minute for the cordless handset and telephone base to reset.
- Clean the cordless handset, charger and telephone base charging contacts each month with a pencil eraser or cloth.
- A blinking CHARGE light is an indication that the battery is not connected to the handset or is missing completely. Ensure that the battery is installed properly.

# My caller ID isn't working.

- Caller ID is a subscription service. You must subscribe to this service from your telephone service provider for this feature to work on your phone.
- The caller may be calling from an area that supports caller ID.
- Both your and your caller's telephone service providers must use caller ID compatible equipment.
- If you subscribe to high-speed Internet service (DSL digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (page 8). The filter prevents noise and caller ID problems resulting from DSL interference. Please contact your DSL service provider for more information about DSL filters

### System does not receive caller ID when on a call.

 Make sure you subscribe to caller ID with call waiting features from your telephone service provider. Caller ID features works only if both you and the caller are in areas offering caller ID service, and if both telephone service providers use compatible equipment.

## Incomplete messages.

- If a caller leaves a very long message, part of it may be lost when the system disconnects the call after the maximum recording time you have set.
- If the caller pauses for longer than seven seconds, the system stops recording and disconnects the call.
- If the system's memory becomes full during a message, the system stops recording and disconnects the call.
- If the caller's voice is very soft, the system may stop recording and disconnect the call.

# Difficulty hearing messages.

- Press VOLUME/▲ to increase the telephone base speaker volume.
- Press ADIR/VOLUME to adjust the message playback volume on a handset.

### System does not answer after the correct number of rings.

- Make sure that the answering system is on. ANS ON should show on the handset and the Φ/ANS ON/OFF light on the telephone base should be on.
- If toll saver is activated, the number of rings changes to two when you have new messages stored (pages 80).
- If the memory is full or the system is off, the system will answer after ten rings.
- In some cases, the answering system is affected by the ringing system used by your telephone service provider.
- If you subscribe to voicemail service, change the number of rings so that your answering system answers before your voicemail answers (pages 80). To determine how many rings activate your voicemail, contact your telephone service provider.
- If there is a fax machine connected to the same telephone line, try
  disconnecting the fax machine. If that solves the problem, consult your
  fax machine documentation for information on compatibility with
  answering systems.

# System does not respond to remote commands.

- Make sure to enter your remote access code correctly (page 81).
- Make sure you are calling from a touch-tone phone. When you dial a number, you should hear tones. If you hear clicks, the phone is not a touch-tone telephone and cannot activate the answering system.
- The answering system may not detect the remote access code while your announcement is playing. Try waiting until the announcement is over before entering the code.
- There may be interference on the phone line you are using. Press dialing keys firmly.

# System does not record messages.

- Make sure the answering system is on. ANS ON should show on the handset and the Φ/ANS ON/OFF light on the telephone base should be on.
- Make sure the memory of the answering system is not full.

- If you subscribe to voicemail service, change the number of rings so that your answering system answers before your voicemail answers (pages 80). To determine how many rings activate your voicemail, contact your telephone service provider.
- If there is a fax machine connected to the same telephone line, try
  disconnecting the fax machine. If that solves the problem, consult your
  fax machine documentation for information on compatibility with
  answering systems.

# System announces, "Time and day not set."

You need to reset the system clock (page 15 or page 26).

# Outgoing announcement is not clear.

- When you record your announcement, make sure you speak in a normal tone of voice, about nine inches from the handset or the telephone base.
- Make sure there is no background noise (TV, music, etc.) while recording.

## New voicemail and show on the screens, and I don't know why.

 Your telephone has both a built-in answering system and voicemail indication. If New voicemail and 
 appear on the screens, then your telephone has received a signal from your telephone service provider that you have a voicemail message waiting for you to retrieve from them. Contact your telephone service provider for more information on how to access your voicemail.

# I cannot retrieve voicemail messages.

 Your telephone has both a built-in answering system and voicemail indication. They are independent features and each alerts you to new messages differently (page 84). If you subscribe to voicemail service from your telephone service provider, contact your telephone service provider for more information on how to access your voicemail.

# I've set my LCD language to Spanish or French and I don't know how to change it back to English.

 Press MENU/SELECT on your handset or base in idle mode, then enter 364# on the handset or base. You hear a confirmation tone.

# I subscribe to a nontraditional telephone service that uses my computer to establish connections, and my telephone doesn't work.

- Make sure your computer is powered on.
- Make sure your Internet connection is working properly.
- Make sure that the software is installed and running for your nontraditional telephone service.
- Make sure to plug your USB telephone adapter into a dedicated USB port on your computer. Do not plug it into a multiple port USB hub (USB splitter) that is not powered.
- In a few rare instances, the USB port on your computer may not have enough power. Try using a USB hub with its own external power supply.
- If you are using a firewall, it may prevent access to your nontraditional telephone service provider. Contact your service provider for more information.

### Common cure for electronic equipment.

If the telephone does not seem to be responding normally, try putting the cordless handset in the telephone base or charger. If it does not fix the problem, do the following (in the order listed):

- 1. Disconnect the power to the telephone base.
- 2. Disconnect the cordless handset battery.
- 3. Wait a few minutes.
- 4. Connect power to the telephone base.
- 5. Remove the battery. Replace the battery and place the cordless handset into the telephone base or charger.
- 6. Wait for the cordless handset to reestablish its connection with the telephone base. Allow up to one minute for this to take place.

# Maintenance

# Taking care of your telephone

- Your cordless telephone contains sophisticated electronic parts, so you
  must treat it with care.
- · Avoid rough treatment.
- · Place the handset down gently.
- Save the original packing materials to protect your telephone if you ever need to ship it.

#### **Avoid water**

 You can damage your telephone if it gets wet. Do not use the handset in the rain, or handle it with wet hands. Do not install the telephone base near a sink, bathtub or shower.

#### **Electrical storms**

 Electrical storms can sometimes cause power surges harmful to electronic equipment. For your own safety, take caution when using electric appliances during storms.

# Cleaning your telephone

- Your telephone has a durable plastic casing that should retain its luster for many years. Clean it only with a soft cloth slightly dampened with water or mild soap.
- Do not use excess water or cleaning solvents of any kind.

Remember that electrical appliances can cause serious injury if used when you are wet or standing in water. If the telephone base should fall into water, DO NOT RETRIEVE IT UNTIL YOU UNPLUG THE POWER CORD AND TELEPHONE LINE CORDS FROM THE WALL. Pull the unit out by the unplugged cords.

# Important safety information



This symbol is to alert you to important operating or servicing instructions that may appear in this user's manual. Always follow basic safety precautions when using this product to reduce the risk of injury, fire, or electric shock.

#### Safety information

- Read and understand all instructions in the user's manual. Observe all markings on the product.
- Avoid using a telephone during a thunderstorm. There may be a slight chance of electric shock from lightning.
- Do not use a telephone in the vicinity of a gas leak. Under certain circumstances, a spark may be created when the adapter is plugged into the power outlet, or when the handset is replaced in its cradle. This is a common event associated with the closing of any electrical circuit. The user should not plug the phone into a power outlet, and should not put a charged handset into the cradle, if the phone is located in an environment containing concentrations of flammable or flame-supporting gases, unless there is adequate ventilation. A spark in such an environment could create a fire or explosion. Such environments may include: medical use of oxygen without adequate ventilation; industrial gases (cleaning solvents; gasoline vapors; etc.); a leak of natural gas; etc.
- Do not use this product near water, or when you are wet. For example, do not use it in a
  wet basement or shower, or next to a swimming pool, bathtub, kitchen sink, or laundry tub.
  Do not use liquids or aerosol sprays for cleaning. If the product comes in contact with any
  liquid, unplug any line or power cord immediately. Do not plug the product back in until it
  has dried thoroughly.
- Install this product in a protected location where no one can trip over any line or power cords. Protect cords from damage or abrasion.
- If this product does not operate normally, see the Troubleshooting section on pages 106114 of this user's manual. If you cannot solve the problem, or if the product is damaged,
  refer to the Limited warranty section on pages 122-123. Do not open this product except
  as directed in your user's manual. Opening the product or reassembling it incorrectly may
  expose you to hazardous voltages or other risks.
- Replace batteries only as described in your user's manual (pages 9-10). Do not burn or puncture batteries — they contain caustic chemicals.
- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.



Caution: Use only the power adapters provided with this product. To obtain a replacement, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

# Important safety information

#### Especially about cordless telephones

- Privacy: The same features that make a cordless telephone convenient create some limitations. Telephone calls are transmitted between the telephone base and the handset by radio waves, so there is a possibility that your cordless telephone conversations could be intercepted by radio receiving equipment within range of the cordless handset. For this reason, you should not think of cordless telephone conversations as being as private as those on corded telephones.
- Electrical power: The telephone base of this cordless telephone must be connected to a
  working electrical outlet which is not controlled by a wall switch. Calls cannot be made from
  the handset if the telephone base is unplugged, switched off or if the electrical power
  is interrupted.
- Potential TV interference: Some cordless telephones operate at frequencies that may cause
  interference to TVs and VCRs. To minimize or prevent such interference, do not place the
  telephone base of the cordless telephone near or on top of a TV or VCR. If interference
  is experienced, moving the cordless telephone farther away from the TV or VCR will often
  reduce or eliminate the interference.
- Rechargeable batteries: This product contains nickel-metal hydride rechargeable batteries.
   Exercise care in handling batteries in order not to create a short circuit with conductive material such as rings, bracelets and keys. The battery or conductor may overheat and cause harm. Observe proper polarity between the battery and the battery charger.
- Nickel-metal hydride rechargeable batteries: Dispose of these batteries in a safe manner. Do
  not burn or puncture. Like other batteries of this type, if burned or punctured, they could
  release caustic material which could cause injury.



The RBRC™ Seal means that the manufacturer is voluntarily participating in an industry program to collect and recycle nickel-metal hydride rechargeable batteries when taken out of service within the United States. These batteries may be taken to a participating local retailer of replacement batteries or recycling center. Or you may call 1 (800) 8-BATTERY for locations accepting spent Ni-MH batteries.

# Important safety information

#### Precautions for users of implanted cardiac pacemakers

Cardiac pacemakers (applies only to digital cordless telephones):

Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless telephones and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that:

#### Pacemaker patients:

- Should keep wireless telephones at least six inches from the pacemaker.
- Should NOT place wireless telephones directly over the pacemaker, such as in a breast pocket, when it is turned ON.
- Should use the wireless telephone at the ear opposite the pacemaker.

WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless telephones.

#### ECO mode

This power conserving technology reduces power consumption for optimal battery performance. The ECO mode activates automatically whenever the handset is synchronized with the telephone base.

#### Especially about telephone answering systems

Two-way recording: This unit does not sound warning beeps to inform the other party that the call is being recorded. To ensure that you are in compliance with any federal or state regulations regarding recording a telephone call, you should start the recording process and then inform the other party that you are recording the conversation.

# SAVE THESE INSTRUCTIONS

## FCC Part 68 and ACTA

This equipment complies with Part 68 of the FCC rules and with technical requirements adopted by the Administrative Council for Terminal Attachments (ACTA). The label on the back or bottom of this equipment contains, among other things, a product identifier in the format US:AAAEQ##TXXXX. This identifier must be provided to your telephone service provider upon request.

The plug and jack used to connect this equipment to premises wiring and the telephone network must comply with the applicable Part 68 rules and technical requirements adopted by ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. An RJ11 jack should normally be used for connecting to a single line and an RJ14 jack for two lines. See the installation instructions in the user's manual.

The Ringer Equivalence Number (REN) is used to determine how many devices you may connect to your telephone line and still have them ring when you are called. The REN for this product is encoded as the 6th and 7th characters following the US: in the product identifier (e.g., if ## is 03, the REN is 0.3). In most, but not all areas, the sum of all RENs should be five (5.0) or less. For more information, please contact your telephone service provider.

This equipment may not be used with Party Lines. If you have specially wired alarm dialing equipment connected to your telephone line, ensure the connection of this equipment does not disable your alarm equipment. If you have questions about what will disable the alarm equipment, consult your telephone service provider or a qualified installer.

If this equipment is malfunctioning, it must be unplugged from the modular jack until the problem has been corrected. Repairs to this telephone equipment can only be made by the manufacturer or its authorized agents. For repair procedures, follow the instructions outlined under the Limited warranty.

If this equipment is causing harm to the telephone network, the telephone service provider may temporarily discontinue your telephone service. The telephone service provider is required to notify you before interrupting service. If advance notice is not practical, you will be notified as soon as possible. You will be given the opportunity to correct the problem and the telephone service provider is required to inform you of your right to file a complaint with the FCC. Your telephone service provider may make changes in its facilities, equipment, operation, or procedures that could affect the proper functioning of this product. The telephone service provider is required to notify you if such changes are planned.

If this product is equipped with a corded or cordless handset, it is hearing aid compatible.

If this product has memory dialing locations, you may choose to store emergency telephone numbers (e.g., police, fire, medical) in these locations. If you do store or test emergency numbers, please:

Remain on the line and briefly explain the reason for the call before hanging up.

Perform such activities in off-peak hours, such as early morning or late evening.

#### **Industry Canada**

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Privacy of communications may not be ensured when using this telephone.

The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

The Ringer Equivalence Number (REN) for this terminal equipment is 1.0. The REN is an indication of the maximum number of devices allowed to be connected to a telephone interface. The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the RENs of all the devices does not exceed five.

This product meets the applicable Industry Canada technical specifications.

# FCC Part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this telephone.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. The handset may be safely held against the ear of the user. The telephone base shall be installed and used such that parts of the user's body other than the hands are maintained at a distance of approximately 20 cm (8 inches) or more.

This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/NMB-3(B)

# California Energy Commission battery charging testing instructions

This telephone is set up to comply with the energy-conserving standards right out of the box. These instructions are intended for California Energy Commission (CEC) compliance testing only. When the CEC battery charging testing mode is activated, all telephone functions, except battery charging, will be disabled.

#### To activate the CEC battery charging testing mode:

- 1. Unplug the telephone base power adapter from the power outlet. Make sure all handsets are plugged with charged batteries before proceeding.
- While you press and hold (HANDSET LOCATOR, plug the telephone base power adapter back to the power outlet.
- After about 20 seconds, when the IN USE light starts flashing, release (HANDSET LOCATOR and then press it again within two seconds.



The process takes up to one minute to complete. When the phone successfully enters the CEC battery charging testing mode, the **IN USE** light turns off and all handsets display **To register HS, see manual**. You hear a confirmation tone.

When the phone fails to enter this mode, repeat the steps mentioned above.

Note: The telephone base will be powered up as normal if you fail to press **ℰ/HANDSET LOCATOR** within two seconds in Step 3.

#### To deactivate the CEC battery charging testing mode:

- 1. Unplug the telephone base power adapter from the power outlet, then plug it back in. The telephone base is powered up as normal.
- Register your handsets back to the telephone base. See pages 97-98 for handset registration instructions.



# Limited warranty

The AT&T brand is used under license - any repair, replacement or warranty service, and all questions about this product should be directed to our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

#### 1. What does this limited warranty cover?

The manufacturer of this AT&T branded product warrants to the holder of a valid proof of purchase ("CONSUMER" or "you") that the product and all accessories provided in the sales package ("PRODUCT") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the PRODUCT operating instructions. This limited warranty extends only to the CONSUMER for products purchased and used in the United States of America and Canada.

# 2. What will be done if the PRODUCT is not free from defects in materials and workmanship during the limited warranty period ("materially defective PRODUCT")?

During the limited warranty period, the manufacturer's authorized service representative will repair or replace at the manufacturer's option, without charge, a materially defective PRODUCT. If the manufacturer repairs the PRODUCT, they may use new or refurbished replacement parts. If the manufacturer chooses to replace the PRODUCT, they may replace it with a new or refurbished PRODUCT of the same or similar design. The manufacturer will retain defective parts, modules, or equipment. Repair or replacement of the PRODUCT, at the manufacturer's option, is your exclusive remedy. The manufacturer will return repaired or replacement products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

#### 3. How long is the limited warranty period?

The limited warranty period for the PRODUCT extends for ONE (1) YEAR from the date of purchase. If the manufacturer repairs or replaces a materially defective PRODUCT under the terms of this limited warranty, this limited warranty also applies to repaired or replacement PRODUCT for a period of either (a) 90 days from the date the repaired or replacement PRODUCT is shipped to you or (b) the time remaining on the original one-year limited warranty; whichever is longer.

#### 4. What is not covered by this limited warranty?

This limited warranty does not cover:

- PRODUCT that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water, or other liquid intrusion; or
- PRODUCT that has been damaged due to repair, alteration, or modification by anyone other than an authorized service representative of the manufacturer; or
- PRODUCT to the extent that the problem experienced is caused by signal conditions, network reliability or cable or antenna systems; or
- PRODUCT to the extent that the problem is caused by use with non-AT&T accessories: or
- PRODUCT whose warranty/quality stickers, PRODUCT serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
- PRODUCT purchased, used, serviced, or shipped for repair from outside the United States
  of America or Canada, or used for commercial or institutional purposes (including but not
  limited to products used for rental purposes); or
- PRODUCT returned without valid proof of purchase (see item 6 on next page); or
- Charges for installation or setup, adjustment of customer controls, and installation or repair of systems outside the unit.

# Limited warranty

#### 5. How do you get warranty service?

To obtain warranty service, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

NOTE: Before calling for service, please review the user's manual; a check of the PRODUCT's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the PRODUCT(s) to the service location. The manufacturer will return repaired or replaced PRODUCT under this limited warranty to you. Transportation, delivery or handling charges are prepaid. The manufacturer assumes no risk for damage or loss of the PRODUCT in transit. If the PRODUCT failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, the manufacturer will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair of products that are not covered by this limited warranty.

#### 6. What must you return with the PRODUCT to get warranty service?

You must:

- Return the entire original package and contents including the PRODUCT to the service location along with a description of the malfunction or difficulty; and
- Include a "valid proof of purchase" (sales receipt) identifying the PRODUCT purchased (PRODUCT model) and the date of purchase or receipt; and
- Provide your name, complete and correct mailing address, and telephone number.

#### 7. Other limitations

This warranty is the complete and exclusive agreement between you and the manufacturer of this AT&T branded PRODUCT. It supersedes all other written or oral communications related to this PRODUCT. The manufacturer provides no other warranties for this PRODUCT. The warranty exclusively describes all of the manufacturer's responsibilities regarding the PRODUCT. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.

State/Provincial Law rights: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the PRODUCT is fit for ordinary use) are limited to one year from date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall the manufacturer be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the PRODUCT or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this PRODUCT. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

# Please retain your original sales receipt as proof of purchase.

# Technical specifications

RF frequency band	1921.536MHz - 1928.448MHz
Channels	5
Operating temperature	32°F - 122°F 0°C - 50°C
Telephone base voltage (AC voltage, 60Hz)	96Vrms - 130Vrms
Telephone base voltage (AC adapter output)	6VDC @ 400mA
Handset Battery	2.4 VDC, AAA x 2, Ni-MH
Charger voltage (AC adapter output)	6VAC @ 300mA

Operation	Operating time*
Talk time (cordless handset)	Up to 7 hours
Talk time (cordless handset speakerphone)	Up to 5 hours
Standby	Up to 7 days

<sup>\*</sup> Operating times vary depending on your actual use and the age of the battery.

#### **DECT 6.0 digital technology**

The AT&T DECT 6.0 products offer unsurpassed range performance and sound clarity. This is achieved through a unique antenna design and advances in noise-filtering technology. An independent laboratory has confirmed that AT&T DECT 6.0 products perform up to 45% better in range competitions against similarly equipped phones of the leading competition. Now calls can be taken in the basement, backyard and garage with exceptional sound quality.

#### Telephone operating range

This cordless telephone operates within the maximum power allowed by the Federal Communications Commission (FCC). Even so, this handset and telephone base can communicate over a certain distance — which can vary with the locations of the telephone base and handset, the weather, and the construction of your home or office.

### Redefining long range coverage and clarity

This telephone base comes with an antenna which gives much better clarity and covers a longer range than before.

#### HD audio

HD audio improves sound quality by expanding and rebuilding frequencies that are lost with traditional phone calls. There is no additional telephone service requirement to use HD audio. It is designed to work with standard telephone service. Your system will automatically enhance all received sound with HD audio.

Δ

# Index

Alert tones
handset, 101
telephone base, 101
Announcement, 75
Answer an incoming call
during an intercom call, 48
during PTT, 56
Answering calls, 34
Answering system, 75–96
Assign a speed dial number, 65
Auto off, 35
·
В

Battery charging, 10 Battery installation, 9 Blind transfer, 43

telephone base, 26

## C

Call transfer, 49
Caller ID (CID)
add entries to phone directory, 73
delete entries, 72
dial entries, 72
review entries, 71
Caller ID announce
telephone base, 28
Chain dialing, 41–42
Clear voicemail indication
handset, 19
telephone base, 30
Clock
handset, 15

## D

Day and time handset, 15 telephone base, 26 Delete a caller ID log entry, 72 a directory entry, 63 a speed dial number, 67 Dialing from a record in the caller ID history, 72 from the directory, 63 Directory dial a number, 63 edit entries, 64 name search, 62 new entries, 59 Display dial, 63 DSL, 3, 8

## Е

Elapsed time, 34 Ending a call, 35

# Н

Handset
handset locator, 45
quick reference guide, 1–3
ringer tone, 14
ringer volume, 14
screen icons, 100
speakerphone, 36
temporary ringer silencing, 35
voicemail indicator, 19
HD audio, 124

# Index

#### ı

Important safety information, 116–
118
Installation, 7–12
Intercom. 46–49

#### L

Last number redial, 36 LCD language, 16, 27 reset LCD language, 16, 27 Lights, 102 Limited warranty, 122–123

## М

Maintenance, 115
Make an outgoing call during PTT, 57
Making calls, 34
Memory match, 70
Message
alert tone, 82
counter display, 94
playback, 88–91
Mute. 40

## Ν

Names enter into directory, 59 search, 62 Number of rings, 80

# O

On-hook dialing (predialing), 34 Outgoing announcement, 75

### Р

Paging tone, 45 Phonebook, 58 Power adapter, 8 Predialing, 34 Push-to-talk, 50–57

### Q

Quiet mode, 23 Quick reference quide, 1–6

### R

Reassign a speed dial number, 66
Receiving calls, 34
Recharging, 10
Redial, 36–37
Remote access, 95–96
Ringer silencing, 35
Ring tone options
handset, 14
telephone base, 25

## S

Safety information, 116–118
Screen display message, 103–105
Speakerphone, 36
Speed dial
delete a number, 67
edit a number, 66
enter a number, 65

# Index

#### T

Technical specifications, 124
Telephone base
quick reference guide, 4–6
ringer tone, 25
ringer volume, 25
screen icons, 100
voicemail indicator, 29
Temporary ringer silencing, 35
Time
handset, 15
telephone base, 26
Troubleshooting, 106–114

### V

Visual message waiting indicator handset, 18 telephone base, 29
Voice announce caller ID telephone base, 28
Voice language, 16, 27
Voicemail, 18, 29, 84 quick access, 67
Voice prompts, 86
Volume control handset, 14, 39, 89 telephone base, 25, 39, 89

## W

Wall-mount installation, 11 Warranty, 122–123

## Remote access wallet card

Use the following wallet card to help you remember commands to control your answering system from any touch-tone telephone.

Cut along dotted line.



at&t Call your phone number, then enter your two-digit access code (preset to 19).

Action	Remote command
Play all messages	1
Play new messages	2
Delete the message	3
Delete all old messages	33
Repeat or go back	4
Stop	
Help menu	. <b>–</b>

Fold here.

Models: CL83143

Type: DECT 6.0 cordless telephone/answering system with

caller ID/call waiting

© 2014 Advanced American Telephones. All Rights Reserved. AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to Advanced American Telephones, San Antonio, TX 78219. Printed in China.



www.telephones.att.com